Pam Q 57

1907-8

ORDER LIST FOR

PHYSICS LABORATORY EQUIPMENT



L.E. Knott Apparatus Co. BOSTON, MASS.

This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.



https://books.google.com

COPYRIGHT 1907 BY

L. E. KNOTT APPARATUS COMPANY

ALL RIGHTS RESERVED

1907-8

ORDER LIST

OF

Physics Laboratory Equipment

To insure unusual despatch in shipment, make up your orders from this list. We will return this copy with the goods. All orders subject to acceptance by the Boston office.

Refer to Contents Table Page 3 and to Index at the back

L. E. KNOTT APPARATUS CO.,
15 to 17 HARCOURT STREET, BOSTON.

E. S. RITCHIE & SONS,

Physical and Meteorological Instruments

FRANKLIN LABORATORY SUPPLY CO., FRANKLIN EDUCATIONAL CO. Biological and Chemical Apparatus



To Our Patrons-

For the convenience of our patrons we have constructed this Price List of Physical Apparatus in the form of an order sheet. It, of course, is conceded that a chance for a misunderstanding between customer and manufacturer is increased by the great variety of apparatus. To avoid misunderstanding and to insure prompt shipment, we suggest that all orders of several items should be entered on the sheets of this catalogue and the catalogue sent to us. Or, if preferred, the list may be copied from the catalogue.

When so required we will return the list to the writer. Or we will send a new order list with the goods.

See back cover for method of mailing.

We request you to fill out the form below when ordering.

ORDER


	Please enter subject to your usual terms our order for the goods marked or succeeding pages. Ship by freight or express. (Which? We should like to have you return this list after copying our order. (?
	You may retain this list and send us a new one with the goods. (?
	Address the goods as follows:
	,
•	Address the bill as follows:
	· · · · · · · · · · · · · · · · · · ·
	•
1	will request you to enter my name on your mailing list as follows:
1	will request you to enter my name on your matting tist as jouous.
	•



CONTENTS.

PAGE	SECTIO	CONTENTS.
5.	11.	Measurement, General Items.
5.	II.	Extension, Length, Area, Volume, Capacity.
6.	12.	Mass, Weight and Density.
II.	13.	Time.
II.	14.	Angles.
11.	15.	Mathematical Instruments.
13.	21.	Mechanics, Motion and Force.
15.	22.	Properties of Matter.
17.	23.	Machines, Levers, Etc.
17.	24.	Inertia, Momentum, Etc.
2 I .	31.	Hydraulics, Compressibility of Liquids.
23.	32.	Weight of Liquids.
23.	33⋅	Gravity, Displacement, Buoyancy, Etc.
25.	34.	Hydro-Dynamics.
25.	35∙	Capillarity, Surface, Tension, Osmose, Viscosity, Friction.
27.	41.	Pneumatics, Compression, Expansion, Elasticity, Etc.
31.	50.	Sound, General Classification.
31.	51.	Vibration.
33⋅	52.	Noise, Musical Sounds, Pitch, Timber, Etc.
35∙	53⋅	Graphic Representation.
37⋅	60.	Heat, General.
37.	61.	Temperature, Expansion, Etc.
41.	62.	Calorimetry, Quality of Heat, Specific Heat, Etc.
41.	63.	Effects of Heat, Sources, Etc.
43.	64.	Transference of Heat, Conduction, Convection, Etc.
43.	65.	Thermo-Dynamics, Nature of Heat, Theories, Illustrations, Etc.
45 ·	70.	Light, General.
45∙	71.	General Rays, Shadows, Etc.
45∙	72.	Reflection.
45∙	73⋅	Refraction Laws, Etc.
51.	74.	Dispersion, Diffraction, Interference, Etc.
5 3·	75.	Velocity, Polarization, Etc.
53.	81.	Magnetism, Law of Magnetism.
55.	82.	Terrestrial.
55.	83.	Static Electricity, Generation, Sources.
55.	84.	Distribution, Insulation, Etc.
57.	85. 86	Condensation. Electrometers.
57.	86.	Frictional and Static Machines.
5 9.	87. 88.	Vacuum Discharge.
59. 61.	89.	X-Ray Production.
61.	91.	Electricity, Electro-Dynamics and Mechanics.
65.	92.	Current from Chemical Action.
69.	93.	Thermo Currents and Electrolysis
6g.	93. 94.	Electro Magnetism.
69	95.	Galvanometers.
75.	96.	Resistance.
77·	97.	Transformers.
79·	98.	Motors and Dynamos.
81	99.	Applied.
83 -85 .	IOI.	Weather Bureau Supplies, Barometers.
~ ,	102.	Thermometers.
	103.	Wind Gauge.
	104.	Hygrometer.
	105.	Rain Gauge.
	109.	Current Meters.
		Index at the back.
		index at the back.

ORDER



L. E. KNOTT APPARATUS Co., BOSTON, MASS.

Digitized by Google

ORDER SHEET.

Mark the number wanted opposite each item in the column to the left. Mail direct to the Boston Office. This will be considered as a "Rush Order" and handled by the Rush Order Department.

SECTION 11, MEASUREMENT, GENERAL ITEMS.


Quantity wanted. Cat. No.	Description.	Price each.	Exten- sion.
11-3	Chart, illustrating metric system of weights and measures	2.40	
11-5	Block, for same use, weight, displacement and dimen-		l
	sions; kilo, liter, cubic decimeter respectively,		
	graduated and dissectible	3.00	i
11-7	Block, for same use, displacement and dimensions; liter	-	
	and cubic decimeter, graduated	1.00	1
11-0	Case, capacity liter, dimensions cubic decimeter, glass		
	side, scale, faucet	3.00	
	Refer to 11-89 for other Metric Capacity Measures.	-	
11-11	Vernier, model, 50 cm. long, on wood	1.10	


SECTION 11, MEASUREMENT OF EXTENSION, LENGTH, AREA, VOLUME, CAPACITY.


1-31	Meter Stick, maple, divided in centimeters and millimeters, and inches in eighths, (National Physics Course, No. 2.)	.30
11-33	Meter Stick, brass tipped	.35
11-35	Rule, boxwood, 30 cm., in millimeters, inches in eighths,	.33
11-33	(National Physics Course, No. 3)	.12
11-37	Rule, maple, 30 cm	.05
11-30	Rule, steel, 15 cm., in mm., very accurate	•75
11-40	Rule, same as 11-41 on cardper 100	2.00
11-41	Rule, Bond paper, 20 cm., in mm., very accurateper 100, 1.00	2.00
11-42	Paper Scale, one meter longeach	.25
11-43	Straight-edge Rule, maple, graduated, 10 cm., in mm., (Na-	
43	tional Physics Course No. 1.)	.07
11-45	Rule, similar, supported vertically by a base, (National	
+3	Physics Course, No. 58)	.16
11-47	Straight-edge, especially for the National Physics Coursepair, .16	
11-55	Scale, Diagonal, plotting, on wood.,	.10
11-57	Scale, Diagonal, on paper; very accurateper doz., .33	
11-61	Calipers, combined inside and outside	•35
11-63	Calipers, steel, micrometer screw, 15 mm., in o.o. mm	4.25
11-65	Calipers, brass, similar, nickeled and polished, (National	
•	Physics Course, No. 54)	3.25
11-67	Micrometer Screw on Stand, metric see 22-17	2.50
11-71	Hook Gauge, with hook and micrometer, according to Pick-	
	ering, for exact measurement of liquid height	3.75

L. E. KNOTT APPARATUS Co., BOSTON, MASS.










Quantity wanted. Cat. No	Description.	Price each.	Extension.
	NEW APPARATUS		
11-12	New Model of Vernier and Caliper, made for us from Boxwood with nickeled trimmings, of fine construction. Duty free	2.75	
11-29	1/2 Meter Stick, similar to 11-33	.25	
11-78	in 1-10 mmeach	1.25	
j	in 1-10 mmeach	2.25	

National Physics Note Book. Send for Particulars.


ORDER



For Chemical Laboratory Balances Refer to our Order List of Chemical Laboratory Equipment.




Quantity wanted.	Cat. No.	Description.	Price each.	Extension.
	11-75	Caliper, vernier, 10 cm., millimeters to 0.1, for inside,		
		outside and depth, with cam attachment	2.45	
	11-79	Gauge, wire, American Standard, Nos. 5 to 36	2.75	l
	11-83	Spherometer, graduation o.or mm., diameter 50 mm	5.90	1
	11-85	Spherometer, graduation o.o1 mm., diameter 40 mm	3.90	}
	11-89	Liquid Measures, metric standards, brassset, 2.00		1
	11-89a		.90	
	11-89b		.70	1
	11-89C	o.or liter	.40	i
		For other illustrations of Metric System refer to 11-3 to 11-9.		į
	11-95	Liquid Measure, English standard, 1 quart, copper	.90	ł
		SECTION 12, MEASUREMENT OF MASS, WEIGHT, DENSITY, ETC. Spring Balance, double pointer, for vertical and horizontal		1
	12-3	Spring Balance, double pointer, for vertical and horizontal readings, flat back, 250 grams in 10 gram divisions, and 8 ounces in 1/2 ounce divisions, (National		
	12-3	Spring Balance, double pointer, for vertical and horizontal readings, flat back, 250 grams in 10 gram divisions, and 8 ounces in 1/2 ounce divisions, (National Physics Course, No. 7)	.80	
		Spring Balance, double pointer, for vertical and horizontal readings, flat back, 250 grams in 10 gram divisions, and 8 ounces in 1/2 ounce divisions, (National Physics Course, No. 7)	.8o 1.00	
	12-3	Spring Balance, double pointer, for vertical and horizontal readings, flat back, 250 grams in 10 gram divisions, and 8 ounces in 1/4 ounce divisions, (National Physics Course, No. 7)	.80	
	12-3 12-4 12-5 12-7	Spring Balance, double pointer, for vertical and horizontal readings, flat back, 250 grams in 10 gram divisions, and 8 ounces in 1/4 ounce divisions, (National Physics Course, No. 7). Spring Balance, similar, 500 g. and 1 lb. Spring Balance, double pointer, flat back, 2,000 grams and 64 ounces. Spring Balance, double pointer, for vertical and horizontal reading, 15 kilos and 30 pounds, (National Physics Course, No. 50).	.8o 1.00	
	12-3 12-4 12-5	Spring Balance, double pointer, for vertical and horizontal readings, flat back, 250 grams in 10 gram divisions, and 8 ounces in ½ ounce divisions, (National Physics Course, No. 7). Spring Balance, similar, 500 g. and 1 lb. Spring Balance, double pointer, flat back, 2,000 grams and 64 ounces. Spring Balance, double pointer, for vertical and horizontal reading, 15 kilos and 30 pounds, (National Physics Course, No. 50). Cradle, for spring balance of 250 grams and 8 ounces, (National Physics Course, No. 22)	.80 1.00	
	12-3 12-4 12-5 12-7	Spring Balance, double pointer, for vertical and horizontal readings, flat back, 250 grams in 10 gram divisions, and 8 ounces in 1/4 ounce divisions, (National Physics Course, No. 7). Spring Balance, similar, 500 g. and 1 lb. Spring Balance, double pointer, flat back, 2,000 grams and 64 ounces. Spring Balance, double pointer, for vertical and horizontal reading, 15 kilos and 30 pounds, (National Physics Course, No. 50). Cradle, for spring balance of 250 grams and 8 ounces, (National Physics Course, No. 22). Cradle, for spring balance of 15 kilos and 30 pounds,	.80 1.00 -45 1.90	
	12-3 12-4 12-5 12-7	Spring Balance, double pointer, for vertical and horizontal readings, flat back, 250 grams in 10 gram divisions, and 8 ounces in 1/4 ounce divisions, (National Physics Course, No. 7). Spring Balance, similar, 500 g. and 1 lb. Spring Balance, double pointer, flat back, 2,000 grams and 64 ounces. Spring Balance, double pointer, for vertical and horizontal reading, 15 kilos and 30 pounds, (National Physics Course, No. 50). Cradle, for spring balance of 250 grams and 8 ounces, (National Physics Course, No. 22). Cradle, for spring balance of 15 kilos and 30 pounds, (National Physics Course No. 75). Hand Balance, 19 cm. beam, capacity 300 grams, sensibility	.80 1.00 .45 1.90	
	12-3 12-4 12-5 12-7 12-15	Spring Balance, double pointer, for vertical and horizontal readings, flat back, 250 grams in 10 gram divisions, and 8 ounces in ½ ounce divisions, (National Physics Course, No. 7)	.80 1.00 .45 1.90 .12 .45	



L. E. KNOTT APPARATUS CO., BOSTON, MASS.
Digitized by


Quantity Wanted.	Cat. No.	Description.	Price each.	Exten- sion.
	12-51	Balance, specific gravity, beam 6 inches, adjustable standard	2.50	
	12-53	Balance, similar, beam 10 inches	9.00	
Į	12-57	Balance, Specific Gravity, Westphals	14.00	,
	12-61	National Trip Scale, square porcelain pans, capacity 2 kilos, sensibility o.r gram, with graduated beam and rider. The latest improved type,		
		(National Physics Course XVII)	7.65	1
	12-61a	Support, for same, with pans for Specific Gravity determinations,	3.40]
	12-71	Balance, Jolly Comparative Spring, with mirror, scale,		1
		two springs, adjustable suspension	5.00	
		Weights, in block, for general Secondary School use;		
		small weights to o.o1 grams:		1
	12-81	a b c		1
		20 50 100 grams		1
1		Price .70 1.00 1.60 per set.		1
		Weights, in block, for general Secondary School use:		1
	12-83a	1,000 grams to 1 gram	4.00	
ĺ	12-83b		2.70	
1	12-87	Separate Weights, for above sets:		İ
		10 20 50 100 200 500 milligrams		1
		Price .08 .08 .08 .08 .08 each		1
		I 2 5 10 20 .50 100 200 grams		
		Price .00 .10 .11 .15 .18 .20 .30 .68 each		
				1
		500 1,000 grams		
		Price .90 1.50 each		
	12-91	Iron Weights, octagonal, I kilo to 5 grams, (National		
		Physics Course, No. 60)	1.40	
	12-93	Iron Weights, Similar, octagonal, 2 kilos to 5 grams,		
i		(National Physics Course, No. 60a)	2.00	
		Precision Weights, See Order List for Chemical Laboratory Equip-		
l	I	ment.	l	ı

For Chemical Balances Refer to Order List of Chemical Laboratory Equipment.




12-56 New Specific Gravity Balance. Sensibility 5 mg., load 250 g., extra pan, jewel bearings, graduated beam for demonstrations. Made for us and imported to order. Duty

13.50




Clock, Mahogany Case, with seconds, minute 13 28 and hour hands, eight day movement, seconds pendulum, electrical connection....


L. E. KNOTT APPARATUS Co., BOSTON, MAR




L. E. KNOTT APPARATUS Co., BOSTON, MASS.

Quantity wanted. Cat. No.	Description.	Price each.	Extension.
12-121	German Accurate Weights, for Secondary School work,		
	mahogany case with cover, small weights under		1
	glass; range 50 grams to 1 milligram, with forceps	3.75	}
12-131	Safety Valve Weight, 4 pounds	. 20	
12-133	Safety Valve Weight, 8 pounds	. 40	l
12-141	Iron Nest Weights, 8 ounces to 1 ounce, (N. P. C. No. 19)	-75	i
	SECTION 13, MEASUREMENT OF TIME.		
13-3	Seconds Pendulum, mounted on back board with electrical		
	contact and adjustment	7.20	1
13-15	Metronome, adjustable, with scale; beating fractional	•	
	seconds	4.50	i
13-17	Clock. With reliable movements	25.00	1
13-19	Watch. With second and minute hands, in nickel case	10.00	
13-25	Speed Indicator	. 1.6ø	1
	SECTION 14, MEASUREMENT OF ANGLES.		
14-3	Tangent Scale, Circle in degrees, with tangents of 'angles		1
	drawn, for use with tangent galvanometer per doz, .25		
14-7	Circle, in degrees, on bristol board, 13 inches in diameter	.60	1
14-9	Similar, 4 inches	.10	1
14-11	Similar, 3 inches	.10	1
14-13	Quarter Circle, 13 inches in diameter; (Refer to 21-107.)	.16	l
14-21	Instrument, for graduating circles, according to Stewart & Gee	5.00	1
14-25	Carpenter's Level, 14 inches long	1.00	ļ
	SECTION 15, MATHEMATICAL INSTRUMENTS.		
15-3	Geometric Wooden Forms, Ritchie		1
15-5	Dissected Cone, showing conic sections	2.00	1
15-9	Blocks, for illustrating cube root (Send for description) set, 2.00		
15-15	Cone, Sphere and Cylinder, showing contents of the 3,		
	being as 1, 2 and 3 set, 1.50		}
15-21	Models of Crystals, wood (Ritchie)set of thirteen, 2.00		
15-31	Universal Pencil Compassdoz . 1.40	.15	1
15-33	Dividers, brass	.40	1
	Walter Smith School Square, Protractor and Triangle, (National Physics Course, No. 26):—		
15-35	5 inches	.08	
15-36	6 inches	.10	I
15-37	7 inches	.12	ł
15-41	Protractor, stamped brass, 3% inches	.12	ł
15-43	Protractor, engine divided, brass, 4 inches	.25	į.
15-45	Protractor, engine divided, 5 inches	-55	
15-51	Cross-section Paper, heavy bond paper, in tenth inches, 17x22 inches, accurate, lithographedper sheet, .20		
15-53	Same, 20x25 cm., in millimeter divisionsper 100, .68		1








L E. KNOTT APPARATUS Co., BOSTON, MASS.


Quantity wanted.	Cat. No.	Description.	Price each.	Exten-
	12-27	NEW APPARATUS. Level, 4 in. long, metal case, very convenient for many pieces of laboratory apparatus	.50	
	12-152	Weights, a new an ingenious arrangement of Octagonal Weights, which may be piled one above the other, or hung one from the other	2.50	
	1 5-68	Slide Rule, Students' 5 in Pocket Slide Rule. The Slide Rule is an instrument by means of which arithmetical computations can be performed mechanically. It is an adaptation of the logarithmic table. Set of directions furnished with each rule	.50	



L. E. KNOTT APPARATUS Co., BOSTON, MASS.

 $\mathsf{Digitized} \; \mathsf{by} \; Google$


Quantity wanted.	Cat. No.	Description.	Price each.	Extension.
	15-61	Drawing Instruments, for students set, 1.00		
	15-63	Same, fine quality, hardened steel-points, drawing instruments for draftsmen set, 5.00		
ŀ	15-65	Drawing Pens	.40	
	-3 -3	SECTION 21, MECHANICS, MOTION AND FORCE.	.40	1
		Rotator, refer to 98-29.		
	21-3	Whirling Table or Rotator, with universal coupling,		
ŀ		broad base for vertical or horizontal position,		
		(National Physics Course XXXV)	7.15	
		The Following are Accessories for above:		
ł	21-5	Globe with Liquid, illustrating centrifugal force on plastic		1
		bodies	2.10	
	21-7	Double Elastic Brass Ring, illustrating spheroidal shape of earth	2.90	
ĺ	21-9	Two Metal Balls Sliding on a Rod, unequal massesset, 2.90		
1	21-11	Wooden Egg	.75	
	21-13	Suspended Chain	.40	
	21-15	Brass Disc	.60	
- 1	21-17	Speed Indicator, detachable, conveniently mounted	4.00	
	21-21	Siren Disc, metal, teaching the octave, musical tone and		-
.		"noise," (National Physics Course LXXXIX)	1.65	
	21-23	Set of Pipes, with which to operate Metal Siren Discset, 2.60		
1	21-25	Siren Disc, of bristol board	.65	
	21-27	Mouth Pipe, for same	.40]
1	21-31a	Crova Disc, showing wave motion of sound, (National		
1		Physics Course LXXVII)	.60	
ļ	21-31b	Diaphragm for preceding	1.00	İ
l	21-33	Tyndall's Heat by Friction Apparatus, boiling water	2.50	
	21-35	Newton's Color Discs, full set, 12 inches diameter, adjusta-		
		ble, with scale of degrees, (National Physics		
- 1		Course XXVI) refer to 64-15set, 2.00		l
	21-37	Manometric Flame Apparatus, cubical mount for mirror		
f		and vibrating capsule, refer to 43-9	7.50	
ł	21-39	Foucault's Current Apparatus, refer to 81-62	5.75	
	21-41	Persistency of Vision (cards), refer to 61-87	1.25	
	21-43	Savart's Wheel	.80	
		Note.—All the Preceding in this Section are Whirling Table Accessories.		
1	21-61	Gyroscope, 21/2 inch wheel, simple mounting	2.40	
1	21-63	Gyroscope, mounted with lever and counterpoise	5.50	
	21-65	Gyroscope, diameter 4 inches, with gimble ring and Ritchie		
		mounting	10.00	
	21-71	Young's Wave Motion Apparatus	26.00	
- 1	21-73	Snell's Wave Motion Apparatus	32.00	
	21-75	Powell's Wave Motion Apparatus, as used by the Massa-		
		chusetts Institute of Technology	55.00	
-	21-77	Snell's Illustration of Water Waves	25.00	
	21-79	Lyman's Wave Apparatus	33.50	,
1	21-91	Stone's Tension Clampsset of four, 1.80		
1	21-95	Composition of Force Board, for National Physics Course No. 74	2.00	
	21-97	Similar, small, of 3-ply mahogany according to Gilley	1.00	
	21-103	Hortvet's Moments-of-Force Apparatus, demonstrating the		
1	-	relation of pulleys to levers	6.25	





22-21b

		EQUIPMENT SHEET	Delas	D =4
vantity	Cat. No.	Description.	Price each.	Exter sion.
	21-107	Apparatus for Laws of Torsionset, 2.60		
1	21-107a	Ash Rod, ½x½ inches, (National Physics Course, No. 61)	.12	
Ī	21-107b	Ash Rod, ¾x¾ inches, (National Physics Course, No. 62)	.14	ł
	21-107C	Improved Combination Base Lever, to fit above rods,		1
1		(National Physics Course, No. 62a)	.50	
	21-107d	Pivot for Guiding the rods	.20	l
	21-107e	Iron Clamp for rod	∙35	ļ
	f	Quarter Circle, refer to 14-13.		}
1	g	Spring Balance, refer to 12-3 or 12-5.		
	h	Cradle, refer to 12-15.		
	21-109	Torsion Pendulum, Sabine design	3.25	
		SECTION 22, MECHANICS,—PROPERTIES OF MATTER.		
	22-3	Wooden Cup, for illustrating porosity, to use with mercury		
		and air pump	.85	1
l	22-5	Cohesion Hemispheres, of leadpair, .50		1
	22-7	Cohesion of Films, 3 wire frames and pipe, (National		
		Physics Course, L)set, 1.60		
ł	22-9	Prince Rupert's Dropsdoz., .25		
1	22-II	Adhesion Disc with cord fastened to the center	.30	
	22-15	Apparatus for Laws of Bendingset, 2.80		
	22-15a	Pine Rod, 1x1/2 inches, (National Physics Course, 55b)	.12	
	22-15b	Pine Rod, ½x½ inches, (National Physics Course, 55a)	.10	
- 1	22-15C	Supporting Prisms, (National Physics Course 56), per set, 20		İ
	22-15d	Lever Indicator, (National Physics Course, 57)	.10	
1	22-15e	Pan for Weights, (National Physics Course, 59)	.12	
	f	Scale, refer to 11-45.		i
-	g	Iron Weights, refer to 12-93.		
	22-17	Set similar to 22-15, but substituting Micrometer Screw		
i		11-67 for indicator 22-15dset, 5.20		1
	22-2I	Apparatus for Testing the Breaking Strength of Wire,		1
		set complete, 3.75		
	22-2IA	Metal Guard Block, (National Physics Course, No. 51) for		1
1		spring Balance, 12-7	-35	-
	22-21b	Spool, (National Physics Course, No. 52) for hook of		i
		spring balance, 12-7	.10	1
	22-2IC	Spool and Screw, (National Physics Course No. 53) for		1
		attaching wire to table	.10	ļ
	đ	Spring Balance, refer to 12-7.		1
	e	Cradle, refer to 12-17.		
	f	Wire, No. 27, refer to 91-2.		
		Refer to Micrometer Screw Caliper, 11-63.		}
	22-23	Wire Testing Machine, according to Allen, without balance		
	-	12-7. Improved and patented	5.00	
}	22-24	Same, with balance, 12-7. See page 25	6.90	
	22-29	Apparatus for Friction set, 1.30	-	
Ì	22-29a	Board, 50x20 cm., correct form and surface, (National		
	·	Physics Course, No. 20)	.30	1
	22-29b	Wooden Block, 71/2x71/2 cm., especially designed for co-	•	
	-	efficient of friction	.20	
1	c	l a a a a .		1





L. E. KNOTT APPARATUS Co., BOSTON, MASS.
Digitized by

23

SECTION 23, MECHANICS,—MACHINES, LEVERS, ETC.


Quantity wanted.	Cat. No.	Description,	Price each.	Exten sion.
	23-3	Lever with supporting bar, graduated, for teaching the		
	0.0	lever, (National Physics Course, No. 17)	.45	
	23-5	Scale Pans, accurately adjusted to one ounce weight, with		
		cord (National Physics Course No. 18)pair, .30		S.
	23-6	Scale Pans, modified by W. F. Ricepair, .75		
	23-7	Rider Block, to fit meter stick and lever, for determining		
		weight of a lever (National Physics Course No. 21)	.18	
	23-9	Lever Clamps, set of three, to fit meter stick, designed by		
		R. J. Kittredgeset, .90		
		Use pans 23-6 with 23-9.		İ
ļ	23-15	Model of the Screw, with frame	1.60	
	23-17	Model of the Screw, designed by H. L. F. Morse	8.00	Ì
1	23-19	Model of the Wedge, in two sections, Ritchie	.80	-
	23-21	Ritchie Model of the Wedge, with pulleys and weights	13.75	
		Note.—Brass pulleys are unsatisfactory on account of friction troubles. We therefore offer the three following:—		
	23-23	Single Pulley, pivotal bearings, wooden wheel, brass block,		
		frictionless, (National Physics Course XVIII)	.45	
	23-25	Double Pulley, similar (National Physics Course XIX)	.65	
	23-27	Single Pulley, mounted on a 6-inch brass stem	.85	
		Brass Second Grade Pulleys, quoted on application.		
	23-29	Triple Pulley, in tandem, metalpair, 1.50		
	23-31	Pulley, adjustable for all directions, with clamp	1.60	
İ	23-41	Set of Pulleys including capstan, wheel and axle	7.75	
	23-51	Wheel and Axle, according to National Physics Course XV	.80	
ľ	23-61	Mechanical Powers Outfit, according to A. P. Gage; in-		
l		cluding levers, wheel, axle and pendulumsset, 7.50		
		SECTION 24, MECHANICS, - INERTIA, MOMENTUM, ETC.		
	24-I	Ritchie's Universal Support, with ball for Action and Re-	•	
-	•	action and mirror for Angle of Reflection	5.00	
		Accessories:	•	
	24-1a	Three Balls, to illustrate Composition of Forces	2.00	
	24-1b	Set of Pulleys	3.00	1
	24-1C	Collision Balls, (for Reaction Experiment)	2.00	
	24-1e	Wheel and Axle	2.00	
	24-1f	Composition of Forces	2.00	1.
	24-3	Inertia Apparatus, with card and ball, Ritchie	.70	
1	24-5	Momentum Apparatus, stand with graduated arc, two high-		
		ly elastic balls, weight-ratio of 1 to 2, the large ball		
		containing hammer and spring held by a thread,		1
		which is to be burned in order to release the		
		spring. For demonstrating Newton's Law	7.00	
		Collision Balls:	.40	
	24-11a	Set of Five Balls, suspended from a frame, with clamp for		
		supporting same on laboratory stand	1.90	
	24-11b	1	3.50	
	24-11C	Same, including graduated arc	4.90	1 .





I. E. KNOTT APPARATUS Co., BOSTON, MASS.
Digitized by GOOS


Quantity wanted. Cat. No	Description.		Extension.
	NEW APPARATUS.		
24-60	Packard's Falling Body Machine, (patent applied for). Invented by Mr. John C. Packard, Science Master in the Brookline (Mass.) High School. A new apparatus for demonstrating the laws of falling bodies and recording results. Especially adapted to individual use in the laboratory. A rolling ball plots its path on a special sheet of plotting paper. The path is a true parabola. The relation of the fall of a body to the time interval is plotted and may be calculated. The advantage of this laboratory exercise over the lecture table exercise with the Atwood's machine is at once apparent. Price	5.40 6.2	
22-24	New Machine for the Breaking Strength of Materials, (patented). Breaking wires, cotton, silk or yarn threads, glued joints, etc. Especially for the demonstration of the relation of the cross section and material to breaking strength. In- cluding balance No. 12-7. Refer to Turner and Hersey Note-Book, Experiment No. M190. Price Note: This apparatus is substituted in place of the for- mer wooden machine.	6.90	



L. E. KNOTT APPARATUS Co., BOSTON, MASS.


Digitized by Google


Quantity wanted.	Cat. No.	Description.	Price each.	Exten- sion.
	24-15	Action and Reaction Apparatus, according to the National		:
1		Physics Course	6.20	
i	24-15a	Base with Metric Scale, (National Physics Course, No. 79d)	1.00	
	24-15b	Drops for Releasing Balls, (National Physics Course,		
ĺ		No. 79d) set, .60		
	24-15C	Pendulum Suspension Block, refer to 24-69	.45	
	24-15d	Pair of Ivory Balls, refer to 24-95 and 24-96 pair, 3.80		
	24-15e	Spool of Copper Wire, (National Physics Course No. 79c), refer to 91-4	-35	
	24-17a	Second Law of Motion, Spring Board, with two marbles		
		for use with vise, National Physics Course LV	.60	
	24-17b	Vise	1.00	
	24-19	Second Law of Motion Apparatus, according to Gage	3.50	
	24-25	Double Cone and Track, on which the cone apparently rolls up an incline	1.25	
	24-27	Brachystochrone, illustrating the speed of three different	3	
	-4 -1	inclined ways,—straight, circular and cycloidal	τ8.00	
i	24-20	Hall's Inclined Plane, as used in the National Physics		1
1	, ,	Course XX, not including scale pan and car of		
		relative weights	5.90	ļ
	•	Car, refer to 24-33. Pan, refer to 23-5.	• •	
	24-31	Inclined Plane with side rails, for the National Physics		
		Course, No. 77, 120x15 cm., with screw adjust-		ł
		ment for inertia experiments	1.50	
1	24-33	Car for Inclined Plane, pivotal bearings, National Physics		
1		Course, No. 76	1.25	
	24-35	Special Rubber for Inertia Experiments, for use with above		}
		car, (National Physics Course, No. 76a)	.18	
	24-37	Harness, for above car for applying force parallel to base	.30	
- 1	24-51	Atwood's Machine, Ritchie's Wall Form	15.00	l
	24-53	Atwood's Machine, Ritchie's Lecture Form	35.00	ļ
Ì	24-55	Improved Atwood's Machine, self-recording	50.00	ĺ
-		(Send for circular.) Ames & Bliss Apparatus for falling bodies, record made		} '
1	24-59	by tuning fork; see Hortvet's Manual of Prac-		
1		tical Physics	475	
	24-60	See page 25.	4.75	1
	24-61	Guinea and Feather Tube, 4 feet long	7.50	
	14 01	Note.—The Guinea and Feather tube should not be used for a fountain in vacuum because of the difficulty of properly drying it.	7.30	
i	24-63	Center of Gravity Board, with suspension handle and bob,		
	-403	Ritchie design, illustrating stable, unstable and		1
-		neutral equilibrium, (National Physics Course XVI,) set, 1.25		
	.24-64	Cylinder, loaded excentrically (National Physics Course LIV)	.30	
	24-65	Reversible Pendulum with adjustable weights, Draper (Kater's).	2.50	
	24-67	Pendulum Support, Ritchie	5.75	
	24-69	Pendulum Suspension Block, National Physics Course XXI,		,
		for attaching to ceiling or cross-bar	.45	
i	24-71	Pendulum Support, for use with laboratory stands	1.60	1




L. E. KNOTT APPARATUS CO., BOSTON, MASS,
Digitized by GOOS

		OKDEK EQU	IPMENT SILLI		4
Quantity wanted.	Cat. No.	Des	eription.	Price each.	Exte sion
		Pendulum Balls:			1
	24-72	Wooden, turned, with hole, dia	meter 5-8 inch	.08	1
	24-73		1 inch	.10	1
	24-74		1 1-2 inches	.15	
	24-82	Glass, without hole,	5-8 inchdoz18		1
	24-94	Ivory, turned, with hole.	I I-2 inches	1.70	
	24-95		2 inches	2.10	
1	24-102	Lead, cast, with hole,	5-8 inch	.08	İ
	24-103		ı inch	.25	
	24-104	<u> </u>	1 1-2 inches	.60	
•	24-112	Brass, ground, with hole,	5-8 inch	∙35	
	24-113		ı inch	.50	
	24-123	Iron, cast, with hole,	r inch	.09	
į	24-124	, , , , , , , , , , , , , , , , , , , ,	1 1-2 inches	.15	
ŀ	24-132	Steel, ground, without hole,	5-8 inch	.11	
ŀ	24-133		ı inch	-35	
Į	24-134		1 1-2 inches	.90	
1	24-135		2 inches	1.00	
- 1			ough the Steel and Glass Balls.		
ŀ		They may be suspended by sl	hellacing a thread around them.		ı
	SEC	TION 31, HYDRAULICS, COMP	PRESSIBILITY OF LIQUIDS, ETC.		
	31-3	Incompressibility of Water, illu	istrated by bursting bot-		
ļ			Course, No. II)	1.25	
İ	31-5	Upward and Downward Pressure		•	ľ
1	•			1.00	
	31-7	Pressure of Liquids in all Dire			ļ
1		cylinder and piston ha	wing jets in different di-		
		rections, glass		1.50	
	31-8	New Pascal's Vases, after Nichol	ls. See page 31	15.00	
1	31-9	Pascal's Vases, showing pressu	re independent of shape		ŀ
l		of vessel	set, 8.00		
1	31-10	Pascal's Vases, Equilibrium ar	nd Capillary Tubes Glass		
1			31	5.75	i
i	31-11	Pressure Gauge, 1 cm. in diame			
			tions,set, .30 ^		
I	31-13	Same, 21/2 cm. in diameter (Nat	cional Physics Course IV)	.30	
1	31-15	Pressure Gauge, measuring press			
-			according to the Nation-		
İ			I, (Hall's Pressure Gauge)	1.20	
1	31-17	Pressure Gauge, according to Che	eston, Dean and Timmerman	2.00	1
1	31-19		g to A. P. Gageset, .75		
	31-21	Hydraulic Press, metal, capable			
			finished model	28.50	1
	31-23	Hydraulic Press, Ritchie design,			1
1			ght	7.75	,
	31-25		showing operation of valves	2.00	i
	31-27	Hydrostatic Bellows, with base			
		column for liquids		18.50	1
	31-29	Gage's Glass U-Tube, for illustra			
- 1		ciple, arms of unequal	diameter	.20	1








31-8 New Model Nichols' Pascal Vases, Illustrating Upward Pressure,


31-8 Illustrating Downward Pressure.

I. E. KNOTT APPARATUS Co., BOSTON, MASS.

31

Quantity wanted. Cat. No.	Description.		Exten sion.
31-8	New Pascal's Vases after Nichols. This outfit mounted on an oiled base has many advantages and demonstrates readily the equal pressure independent of the shape, and according to the depths of the liquid. Additional to this the illustration shows the demonstration of the upward pressure of a liquid. Price	15.00	
31-10	Pascal's Vases, Equilibrium and Capillary Tubes. This glass apparatus demonstrates readily the Pascal's law. Mercury is used as the indicator in the manometer tube. When filled with water it illustrates very readily equilibrium of a liquid. When the two manometer gauges are used capillarity may be demonstrated. Price	6.75	
33-2	Box of Metal Cubes for illustrating density, specific gravity, character of minerals. These twelve cubes of different minerals are each one-cubic-centimeter. The weight, therefore, in grams is the specific gravity of the material. Comparative weight of the various cubes shows their relative density. Duty Free.	12.00	






L. E. KNOTT APPARATUS Co., BOSTON, MASS.

SECTION 32, HYDRAULICS,—WEIGHT OF LIQUIDS.

Quantity wanted. Cat. No.	Description.	Price each.	Extension.
32-3 32-5	Equilibrium Tubes, set of four, in one piece of glass Equilibrium Tubes, showing that a liquid seeks its own level in any shape of vessel, including tubes and	.85	
	base	7.00	
32-7	Siphon, glass, 12-inch arm	.25	
32-9	Tantalus Cup, illustrating the intermittent spring	·75	
	TION 33, HYDRAULICS,—GRAVITY, DISPLACEMENT, BUOYANCY	, ETC.	
33-2	Archimedes' Cylinder and Bucket, with handle	2.00	
33-4	Overflow Can, nickel plated, spring brass and correct proportions, (National Physics Course, No. 5)	.60	
33-5	Catch Bucket, nickel plated, with handle, adapted for above, (National Physics Course, No. 6)	.40	
33-7	al Physics Course, No. 4) adapted to above Loaded Waterproof Rectangular Block, (National Physics	.30	
	Course, No. 8)	.30	
33-11	Course, No. 9)	.18	
33-13	Lead Weight with ring, (National Physics Course, No. 12)	.15	
33-14 33-15	Cylinder of Sulfur, (National Physics Course, No. 11)	.07	
33-17	Course, No. 13)	15	
33-19	Physics Course, No. 14)	.16	
	Method, as noted below	.95	
33-19a	Lead Y-Tube (National Physics Course, No. 73)	.27	
33-19b	Rubber Tubing, 3-8 inch, one foot	.16	
33-19C	Two Standard Lengths of Glass Tubing, 3-8 inch. pair, .20		
33-19d	Pinchcock	.22	
33-19e	Two Small Jars, (National Physics Course, No. 64) New Support for use with above, refer to 41-43	.06	
33-21a	Specific Gravity Bottles, 25 cc., adjusted with the utmost accurary, perforated glass stopper	8 -	
33-21b	Similar, 50 cc	.85	
33-210	Similar, 100 cc	1.20	
33-22	Specific Gravity Bottles (National Physics Course, No. 16)	.10	
33.22	Glass Hydrometers, with (Beaume and Specific Gravity Scales:) (Send for Circular of Hydrometers).	.10	
33-23	For Liquids Lighter than Water, (National Physics Course XI)	6.	
33-25	For Liquids Heavier than Water, (National Physics	.65	
۱ . ا	Course XII)	65	



L. E. KNOTT APPARATUS Co., BOSTON, MASS.

o. Cat.	Description.	Price each.	Extension.
3-27	Wooden Hydrometer, one square centimeter cross-section.		
,3 -,			ł
	on top will sink the hydrometer so as to displace		
			}
		.30	
3-28		1	1
3-29			İ
,, ,	of solids	2.00	
3-31	Hydrometer Jar, for above (See Catalog of Chemical Labor-		
	atory Supplies)	.80	
3-33	Cartesian Diver (Imp)., (National Physics Course XIV)	.25	
	SECTION 34, HYDRAULICS,—HYDRODYNAMICS.		
11-3	Eight-in-one Annaratus, according to Gage	8.00	
		0,00	
14-3		4.50	
.4-7		4.50	
14-7		18.00	
4-0			
		33	
4-11			
		T.00	
4-12		1.00	
4-13		7 60	
4-15		-	
- 1		2.10	
14 -7		6.50	
4-10			
		0.50	
14		14.50	
4-22			
4-23		3.90	
4-27			
4-2/		6.00	
4-20		0.00	
4-29	wheels,set, 9.00		
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3-27 3-28 3-29 3-31	Wooden Hydrometer, one square centimeter cross-section, graduated in millimeters, one gram weight placed on top will sink the hydrometer so as to displace one cubic centimeter of water;—teaches them principle of hydrometers and relative values in the metric system Hydrometer Jar, for above hydrometers. Nicholson's Hydrometer, for determining specific gravity of solids. Hydrometer Jar, for above (See Catalog of Chemical Laboratory Supplies). Cartesian Diver (Imp)., (National Physics Course XIV) SECTION 34, HYDRAULICS,—HYDRODYNAMICS. Eight-in-one Apparatus, according to Gage Mariotte's Bottle, including rubber stoppers and glass tubing, complete Hero's Fountain. A large and elaborate Lecture Table instrument, Kohl design Hero's Fountain, glass. Reaction Tube, with pointed indicator, demonstrating the reaction of a flow of liquid against the air, (National Physics Course LVI) Lift Pump, glass model, large valves, in full view, (National Physics Course IX) Lift Pump, glass model, with brass mountings. A very substantial piece of apparatus. Force Pump, similar, (National Physics Course X) Lift and Force Pump, mounted, with Japanned water cistern. Hydraulic Ram, glass, with wooden base Hydraulic Ram, glass, with wooden support, with cistern. Water Wheels; models of over-shot, under-shot and breast	Wooden Hydrometer, one square centimeter cross-section, graduated in millimeters, one gram weight placed on top will sink the hydrometer so as to displace one cubic centimeter of water;—teaches them principle of hydrometers and relative values in the metric system

Quantity. wanted Cat. No.	Description.	Price each.	Exten- sion.
41-33	Baroscope Globe for demonstrating weight of air, provided		
41-34	with Counterpoise. See page 39	2.90	
	itself readily to a demonstration of the weight of air. With Counterpoise. Price	3.25	
41-35	Balance, for use of above Globe. Especially designed so that balance and globe may be placed under the bell jar on plate of air pump. The most satis-		
41-6	factory way for class demonstration	2.50	
410	in all Directions. The glass cylinder with rubber diaphragm contains a set of manometer tubes opening in various directions. The pressure on the diaphragm will indicate on all the manometers. Duty Free	6.40	
41-160	Mercury Storage Funnel. One appreciates the difficulty of handling and storing a small amount of clean mercury in the laboratory. This article appeals to one as a clean storage for mercury and a most handy syringe for filling baronieter tubes, commutators, Ampere's law apparatus, etc. Duty	•	
1	Free	3.00	1

41-37

L. E. KNOTT APPARATUS Co., BOSTON, MASS. Digitized by Google


41-47

SECTION 41, PNEUMATICS,—COMPRESSION, EXPANSION, ELASTICITY, ETC.

Quantity wanted.	Cat. No.	Description.	Price each.	Exter sion
	41-3	Gage's Seven-in-one Apparatus, including:		
		Rubber Tubing, Stopcock and Funnel (National Phys-		i
		ics Course LII)	9.60	
	41-5	Wooden Stands, for same, according to Gage	3.00	1
	41-6	See page 37.		
		Water Hammers:		
	41-7	Sealed and Exhausted	.75	
	41-9	Open, with stopcock for attaching to air pump	2.50	
	41-11	Bursting Squares of thin glass, to teach expansion of a		-
		gasdoz, 2.25		}
	41-15	Wire Guard for above	.70	
	41-17	Fountain in a Vacuum; a special glass receiver with con-		
		nections for air pump	4.00	
	41-19	Rubber Bag, with tube and pinchcock, for use with bell		
		glass and air pump, (National Physics Course VII)	1.15	l
	41-31	Baroscope Bottle, for National Physics Course, No. 69, in-		
		cluding: rubber stopper, glass tube, rubber tube		İ
		and pinchcock	.80	
	41-33	Baroscope Globe, of brass, for demonstrating that air has		
		weight, including: globe, stopcock and counter-		
		poise. See page 37	2.90	
	41-34	See page 37.	-	
	41-35	Balance for same, adapted for use with bell jar. See page 37	2.50	
	41-37	Glass Baroscope Globe, with stopcock, without counter-	•	İ
		poise	1.80	1
	41-39	Boyle's or Mariotte's Law Tube, thick walls, funnel top,		lj P
		large bore, unform diameter, (National Physics		ľi
		Course VI)	1.25	ľ
.	41-41	Boyle's Law Tube, thinner glass, not selected	.80	Ì
	41-43	Support for Boyle's Law Tube, upright with metric scale		
-		in millimeters, supported by tripod having level-		
ļ	ļ	ling screws, (National Physics Course, No. 66)	1.25	
	41-45	Mercury Well, iron, tall, mounted, (National Physics Course	•	
	_	LXXIV)	6.50	
1	41-47	Boyle's Law Apparatus, adjustable form, with oak stand	·	
		and metric scale, illustrating Boyle's Law for		
,		pressures greater and less than one atmosphere,		
1		also the barometer principle, vapor tension, etc	4.25	
	41-49	Hydrogen Pistol, for demonstrating expansion from a gas	2.00	
	41-53	Boltwood Mercury Air Pump, refer to 89-20 and 89-24.		
ì		Aspirator or Filter Pumps. (See Catalog of Chemical Lab-		
	1			

Double Distilled Mercury especially for experiments in Pneumatics.


ORDER



L. E. KNOTT APPARATUS Co., BOSTON, MASS.


SHEET

Quantity Wanted.	Cat. No.	Description.	Price each.	Exter
	41-61	Air Pump, condensing and exhausting, with clamp for	Ī	
1	4	table, and connections for rubber tubing, (Nation-		
1		al Physics Course V)	5.00	
1	41-62	Thick Walled Antimony Rubber Tube, for aboveper foot, .16	3	
- 1	41-63	Air Pump Plate, mounted, with electric connections, iron base	6.00	
- 1	41-71	Air Pump, Ritchie superior lecture table pump, lever		
- !	• •	action	25.00	
	41-72	Same, with electric connections	29.00	
1	41-75	Air Pump, similar, large cylinder and plate of brass,	'	
1		Ritchie College pump	35.00	
	41-76	Same, with electric connections	39.00	
	41-79	Air Pump, Ritchie form, easy rotary action, supported	3,	
1	,	on a large wooden table, best valve pump made.		1
		(Refer to Carhart and Chute's Physics)	175.00	ſ
i	41-80	Same, with electric connections	185.00	1
1	•	Geryk Mechanical Air Pump for high vacuum.		
1		This pump is operated with oil-sealed valves and is capable of		
1		giving exhaustion equal to the Sprengel or Geissler pump:—		
	41-83	With 7-inch plate and vacuum gauge, duty free	42.00	ĺ
İ	41-85	Similar with large cylinder and greater efficiency. Plate	•	
ł	, ,	extra, duty free	48.0 0	İ
- 1		Air Pump Attachments and Accessories:	·	ŀ
1		Guinea and Feather Tube, refer to 24-61.		
}	41-101	Condensing Chamber	5.00	
i	41-103	Leather Washers, for stopcocks, plugs, etc doz., .20		
Ì	41-105	Coupling, for rubber tubing, fitting center of plate	-35	
ł	41-107	Stopcock, fitting center of plate (tested)	1.25	ĺ
1	41-109	Guard Plug, fitting center of plate	.35	
1	41-111	Pump Oil, for use on the valves and piston of the air		1 I
j	•	pump per bottle, .50		
1		Bell Glasses.		
4		Our Bell Glasses are reground by hand and tested for		
- 1		use with air pump plates. Regular Glass Factory Ware		
		will be furnished at a less expense, but they will		
- 1		not give the same satisfaction for this work.		
i		Bell Glasses, straight sides, reground flange, (tested,) knob top:		
1	41-121	6½x12 inches (2 gallon)	2.25	
ł	41-123	7½x14 inches (3 gallon)	3.25	
İ		Same, regular Glass Factory Ware, not tested:		
. !	41-126	6½x12 inches (2 gallon)	.65	
1	41-128	7½x14 inches (3 gallon)	1.10	
•	•	Bell Glasses, swelled sides, reground flange, (tested,) knob		
		top:		
	41-131	6 inches inside diameter (1½ gallon)	2.25	
1	41-133	7 inches inside diameter (3 gallon)	3.25	
1		Same, regular Glass Factory Ware, not tested:		
1	41-136	6 inches inside diameter (11/2 gallon)	1.30	
- 1	41-138	7 inches inside diameter (3 gallon)	1.90	l



L. E. KNOTT APPARATUS Co., BOSTON, MASS.


Quantity wanted.	Cat. No.	Description.	Price each.	Extension.
		NEW APPARATUS.		
	41-154	Manometer, Barometer and General Apparatus for demonstration of atmospheric pressure and exhaustion. Apparatus is to be exhausted on air pumpland proper amount of mercury allowed to enter, through the glass stopcock. It then may be used to demonstrate the atmospheric pressure		
		as a barometer, and pressures more or less than the atmosphere up to the limit of the instrument, which is one meter. We substitute this especially in place of apparatus No. 41-161.		
	52-71	Price without mercury New Apparatus for Recording the Vibrations of a Tuning Fork; "Vilrograph;" patented. This new design is successfully used in the hands of laboratory	8.50	
	52-2 I	students. Not including fork. Price Note: Use forks 52-23 or 52-31. Sympathetic Tuning Forks, accurately adjusted, 256 vi-	4.00	
	,	brations, mounted on tuned cases with weight and hammer. These forks are adjusted so that one will take up the vibrations of the other and continue the sound. Then if the one fork is loaded as illustrated, rapid or slow beats may be produced. The hammer is especially well conconstructed for giving the best results. Duty		
		Free Price	18.00	
	52-21a	Special Hammer as included in above	1.50	1.



L. E. KNOTT APPARATUS Co., BOSTON, MASS.

Quantity wanted. Cat. No.	Description.	Price each.	Extension.
41-141	Bell Glasses, straight sides, reground flange, tested,		
	brass cap, plug, sliding rods and packing box.		
	This bell will take stopcock 41-107	3.50	
41-147	Bell Glasses, hand and bladder glasses, or for use with		}
	mercury shower	.90	}
41-149	Sheet Rubber, thinper square foot, .35		1
41-151	Magdeburg Hemispheres, stopcock and handles, on stand	5.40	
	Manometer, refer to 63-13 and 63-15.		ł
41-153	Manometer (Mercury Gauge), for use with air pump, fitting		l
	the vent	6.50	1
41-154	See page 43.	•	
41-155	Manometer (Mercury Gauge), for use under a bell jar, on stand	2.75	(
41-156		.85	[
41-157	Barometer Tube, 80 cm., thick wall, large bore, (National	•	ļ
	Physics Course LXXIII)	-35	
41-150	Mercury Cup, Cistern or Well, designed by F. M. Gilley,	-00	}
439	saves mercury	.40	1
	Barometers, refer to Price List of Weather Bureau Supplies.	.4.	l
41-160	See page 37.		1
41-163	Bell Glass, with stopper, to accompany numbers 41-157		1.
41-103	and 41-159	1.75	ł
	una 4 139······	/3	1
	SECTION 50, SOUND,—GENERAL CLASSIFICATION.		
50-3	Double Bass Bow, (National Physics Course XCIII)	1.75	
50-5	Resin, for same	. I 2	1
	Piano Wire, in 1/4 pound coils. (We do not recommend the		
	spooled wire; it cannot be straightened readily):		Ì
	Catalog Number 50-7a 50-7b 50-7c 50-7d		}
	Diam. inches, .028 .022 .0178 .014		
l	Price per coil .45 .45 .85 1.55		1
	SECTION 51, SOUND,—VIBRATION.		
51-3	Electric Bell, mounted for use in vacuum (National Physics		
	Course LXXXV)	1.75	1
51-5	Bell, mounted for use in vacuum, to be operated with		i
	41-141	1.75	
	Cord, for illustrating wave motion:		1
51-7	Silk, pliable	2.00	
51-9	Rubber, flexible	.90	
51-11	Spiral Spring (12 feet long), for demonstrating transverse		
	and longitudinal wave motion	2.00	1
51-13	Longitudinal Vibration Apparatus, Kundt's method im-		
1 - "	proved by Professor Chute, including: 2 pis-		}
			}
	tons, vise, support, scale, tube and membrane,	5.60	
51-15	tons, vise, support, scale, tube and membrane, best results, complete	5.60	
51-15 51-17	tons, vise, support, scale, tube and membrane,	5.60 2.75	

ORDER




I. E. KNOTT APPARATUS Co., BOSTON, MASS.

ORDER

SECTION 52, SOUND,-NOISE, MUSICAL SOUNDS, PITCH, TIMBRE, ETC.


Quantity wanted.	Cat. No.	Description.	Price each.	Extension.
	52-3	Singing Flame or Philosopher's Lamp, set of three tubes and jet	2.50	
i	52-5	Rose Jet, Ritchie's	1.50	ŀ
4	52-6	Tube for same	2.25	
	52-21	Sympathetic Tuning Forks, accurately adjusted, 256 vi-		1
		brations, (C1), mounted on resonant cases, duty		
	•	free, best. See page 43pair, 18.00		1
	52-22	Similar, lighter, (National Physics Course XCII) pair, 12.00		1
1		Tuning Forks:	i	
	52-23	10 inches, 128 vibrations C	4.50	
	52-27	11 inches, 256 vibrations C1Duty free	6 .00	
	52-28	Same, mounted on tuned case " "	9.00	
1	52-31	7 inches, 256 vibrations C1, (National Physics		
		Course, No. 95)	1.50	
	52-45	4½ inches, 256 vibrations C1	.20	1
	52-47	41/2 inches, (A, natural)	.20	1
	52-49	Set of four forks, standard, unmounted, C1, E, G, C2	6.00	
1	52-50	Same, mounted on tuned cases	12.00	
	52-53	Set of eight (Octave), 6 to 73/4 inches longset, 12.00		
	52-54	Same, mounted on tuned cases	24.00	
	52-61	Adjustable Tuning Fork, giving the octave by half tones	1.50	
		Note.—To vibrate tuning forks use cotton string, drawing it tightly around the tines until it breaks.	İ	
	52-71	Apparatus, for recording the vibrations of a tuning fork,		1
	,	coincident with records of a pendulum. For		
		calculating the vibrations per second of the fork.		
		Used in the National Physics Course No. 96. See page 43	4.00	
	52-73	Bristle Stylus and Special Wax, for use on a recording		
		tuning fork	.25	
	52-75	Savart's Wheel, for illustrating musical pitch,—a lecture		
		table piece designed by Ritchie	7.50	
		Savart's Wheel, refer to 21-43		1
		Bell, with cork balls illustrating nodes:		1
	52-77a	Large Glass Bell to be vibrated by a bow	4.00	
	52-77b	Metal Stand and Frame, supporting eight cork balls	4.00	j
	52-81	Tyndall's Tube, as used in the National Physics Course, 11		
		feet long, in sections, metal	4.00	
	52-83	Resonant Tube, mounted, with piston, according to the		
		National Physics Course No. 94	2.25	
	52-85	Resonant Tube, mounted vertically, with graduated scale,	 -	
		for use with the water piston; nodes deter-		
		mined readily and accurately	5.50	1



L. E. KNOTT APPARATUS CO., BOSTON, MASS.

Digitized by GOOSIC

Quantity wanted. Cat. No.	Description.	Price each.	Exten sion.
52-87	Interference Tubes, Hopkins', of metal, with adjustable		
	tube, for use with Chladni plates	4.00	
52-89	Clamp, for attaching above to laboratory stand	1.75	
52-90	Interference Tubes, of glass and rubber	2.00	ŀ
52-91	Savart's Bell and Resonant Tubes	4.00	
52-91a	Polished Brass Bell, on stand	4.00	i
52-91b	Closed Resonant Tube, with piston	4.00	
52-93	Adjustable Resonant Tube, open, with movable inner tube	4.00	
52-95	Quincke's Tubes, to show the effect of size and length		1
	of tube on pitch; also shows interference, set of		
1	thirteen	2.75	Ì
52-97	Organ Pipe, with sliding piston, (National Physics Course		İ
	XCVI)	4.00	
52-99	Organ Pipe, with glass side and sliding membrane	4.00	
52-101	Organ Pipes, in set, metal, C, E, G, Cr	7.00	ļ
52-121	Galton's Whistle, for illustrating sounds which are in-		i
3	audible to the human ear; adjustable; air column		
i	may be shortened to one millimeter. Calcu-		
	lated vibrations 85,000 per second	5.00	ŀ
52-123	Wind Chest, for operating organ pipes	40.00	1
52-125	Xylophone, with fifteen tubes on wooden frame, covers	40.00	
) 33	two octaves	2.50	
52-127	Sonometer, with strings, as used in the National Physics	2.50	
32012/	Course, XCIV, for determining pitch according		
•	to length, cross-section and strain; used with		
	two spring balances. Price without balances		
70.700	la	4.00	
52-129	Sonometer Strings, 0.014 and 0.028 inches diameter,	7.25	
52-131	pair, .40		
50.733	Sonometer, with resonant base, the wires to be adjusted		1
52-133	by levers and weights, and finer adjustment by		
	key; price without weights	5.75	ļ
52-134		6.50	į
52-135	· · · · · · · · · · · · · · · · · · ·	,	
	ment of relative tension of strings	16.00	
1	Weights, refer to 12-93.		İ
	SECTION 53, SOUND,—GRAPHIC REPRESENTATION.	•	
53-3	Helmholtz Resonators, set of eleven harmonies of C2, of]
	superior construction and operating quality, from		
	papier mache, duty free	18.00	
53-7	Manometric Organ Pipe, for attachment to flame, and for		
33,	use with manometric mirror, duty free	22.00	
53-9	Manometric Flame Apparatus. A chamber having a	,	
33 9	diaphragm, for connection with gas; including		
	speaking tube and four-sided revolving mirror		1
	for connecting with rotating machine,set, 7.50		
53-11	Same, but double mirror, to be rotated by hand		
1 33-11	1 Same, San double milition, to be rotated by Hand	3.35	l




61-71

51

L. E. KNOTT APPARATUS Co., BOSTON, MASS.

Digitized by GOOSIC


Quantity wanted. Cat. No.	Description.	Price each.	Extension.
	Chladni Plates, .	3.	
53-20	Plate, round, of polished brass, 10 inches in diameter	1.50	1
53-26	Plate, round, of polished brass, 6 inches in diameter	1.00	
53-30	Plate, square, of polished brass, 10 inches	1.50	<u> </u>
53-36	Plate, square, of polished brass, 6 inches	1.00	
53-37	Clamp, iron, strong, to fit top of laboratory table	1.25	:
53-38	Clamp, iron, double, large	3.90	
53-41	Lissajou's Figures Apparatus, consisting of two large forks	0,	
33 .	with properly mounted mirrors. Adjustable to		١.
	combinations 1 to 1; 1 to 2; 2 to 3; 3 to 4; and		1
	4 to 5. Of superior quality, duty free	35.00	l
53-43	Lissajou's Figures Apparatus, with two adjustable steel	33.00	
33 43	springs for elementary demonstration, Tyndall		
	designset, 6.50		
	Crova's Disc, illustrating sound waves, etc., refer to 21-31		
53-47	Sand Pendulum, consisting of weight, cord and funnel	1.85	
33-47	can't renderant, consisting of weight, cord and runner	1.05	ı
	SECTION 60, HEAT,—GENERAL.		•
60.0	Regelation Mold for Ice, boxwood		l
60-3	1 9	2.50	
60-4	Bag for use in breaking ice, (National Physics Course, No. 91)	•35	
60-5	Tray for Ice, one outlet, for cooling dry air tube No. 61-125		
	according to the National Physics Course, No. 88	·75	
	(Refer for Burners, Lamps, Gas Lamps and Stoves to		ſ
1	Catalog of Chemical Laboratory Supplies.)		1
	SECTION 61, HEAT, TEMPERATURE, EXPANSION, ETC.		
61-3	Household Thermometers, clear divisions, finely mounted.		1
02.3	Send for special list of Household Thermometers	-75	
61-51	Chemical Thermometers, Jena glass, large bulb, long stem,	./3	
01-31	paper scale inside glass tube; range -10 degrees		
	to + 110 degrees, with equivalent Fahrenheit		
	scale, 30 cm. long, (National Physics Course, No. 82)		
61-53	Same, eight inches long	.90	
61-55	Chemical Thermometer, similar, range -10 degrees to +200	.45	
01-55		7 50	1
4	degrees C. and equivalent Fahrenheit scale	1.50	
61-71	Chemical Thermometer, similar, but having the scale		
	etched on glass, black figures, white back, range-		
	-ro degrees to +rro degrees C. and equivalent		
	Fahrenheit scale	1.30	
61-73	Chemical Thermometer, scale etched on glass, similar to		
	the preceding; +200 degrees C. and +400 degrees		
	F	1.70	
61-75	Chemical Thermometer, similar, but having a range to		1
	400 degrees C, and equivalent scale 640 degrees F	2.25	1
6-0-	Note.—Send for special list of large variety of Chemical Thermometers. Comparative Thermometer: Centigrade, Fahrenheit and		
61-91	Reaumur	80	
	1 Meaumur	.80	I .



L. E KNOTT APPARATUS Co., BOSTON. MASS.

SHEET

Quantity wanted	Cat. No.	Description.	Price each.	Extension.
	61-93	Metallic Thermometer, with glass back for showing the		
		mechanism, (National Physics Course, LXVI)	4.00	1
		For Maximum and Minimum. Thermometers, and		
1		Wet and Dry Bulb Thermometers, etc., see		
1		page 84.		
	61-103	Wood Model of Clock Balance Wheel, of such shape that it		
		illustrates the principle of the compound bar as		1
		applied to the balance wheel of a time piece		
}		operating at a uniform rate of vibration, (Nation-		
1		al Physics Course LXVII)	1.50	
	61-105	Compound Pendulum, showing the compound bar as ap-		
		plied to a clock pendulum	9.00	
İ	61-107	Compound Bar, to show the unequal expansion of two		
ĺ		metals, (National Physics Course LXV.)	1.25	
	61-108	Gravesend Ring and Ball for illustrating expansion, (Nation-		
		al Physics Course, LXIII)	1.50	
i	61-109	Lecture Table Pyrometer, Ritchie design, demonstrating		
		linear expansion due to increase of tempera-		
		ture, consisting of two rods of different metals,		1
		including stand and lamp	4.20	
	61-111	New Linear Expansion Apparatus, patented, lever mounted		
		on knife edge; all errors reduced to a minimum;		
		as used in the National Physics Course 84, 85,		
		86 (send for circular)	3.75	
	61-115	New Linear Expansion Apparatus, micrometer screw form,		
1		with zero reference lever, capable of very close	•	
		results	4.25	
		Note.—The advantage of the wooden frame over the metal frame is apparent, when error from expansion of the metal frame is considered.		
	61-116	Extra Aluminum Rod, for 61-111 and 61-115	.60	ļ
	61-117	Extra Iron Rod for 61-111 and 61-115	-35	
ŀ	61-121	Apparatus for illustrating the Maximum Density of Water,		ļ
		consisting of a glass cylinder with copper vessel		
		and aperture for thermometer at top and bottom.		
ì		Use Thermometer No. 61-53	6.50	İ
		Charles' Law Tubes, dry air, confined by mercury:		
	61-125	Form according to the National Physics Course, No.		
ŀ		87. Use Tray 60-5	2.00	
	61-127	Form, according to Waterman, mounted	1.75	
	61-129	Simple Air Thermometer glass bulb on stem, National		
		Physics Course LXII	.25	1
	61-131	Constant Volume Air Thermometer, mounted on adjustable		
'	•	frame with metric scale, for teaching absolute		
		zero, etc., (National Physics Course LXIX) (send	•	
		for circular)	9.00	
	61-133	Air Thermometer, differential, filled with colored liquid,		1
1		for use under the bell glass, (National Physics		1
		Course LXXVIII)	2.50	1





I. E. KNOTI APPARATUS Co., BOSTON, MASS.

SECTION 62, HEAT,—CALORIMETRY, QUALITY OF HEAT, SPECIFIC HEAT, ETC.


Quantity wanted. Cat. No.	Description.	Price each.	Exten sion.
62-3	Calorimeter, National Physics Course, No. 89, pattern, polished, nickel plated, spring brass, made with special reference to the experiment of finding		
62-3 a b	the Dew Point, etc	.60	
62-5	Double Calorimeter, as used at the University of Cincinnati Refer to 93-38 for a high grade Electric Calorimeter.	1.30	
62-7	Tyndall's Specific Heat Apparatus, balls of different metals, to be heated, will melt their way through a plate of wax with more or less rapidity, showing differ-		
62-8	ent heat capacities	2.25 1.00	
	SECTION 63, HEAT,—EFFECTS OF HEAT, SOURCES, ETC.		
	Tyndall's Attachment for production of heat by friction, refer to 21-33.		
63-3	Fire Syringe, for illustrating the transference of energy into heat, very successful, (National Physics Course LXXVII)	1.75	
63-5	Apparatus A (Steam Generator or Hypsometer) as used in the National Physics Course, No. 80, modified and improved by F. M. Gilley, including boiler, water gauge, screw cap, thermometer tube, heat-	73	
63-7	ing bucket and special burner	3.00	
	lamp instead of Bunsen burner	3.00	
63-9 63-11	Apparatus A, similar to above, without burner or lamp Apparatus A, designed by G. M. Turner of Buffalo, similar to above, but with detachable tripod, without	2.60	
63-13	burner or lamp	3.00	
63-15	tus A, (National Physics Course XIII and 80a) Pressure Gauge, similar to preceding, 1 meter long, for higher pressures, may be used for exhaustion or compression, (National Physics Course, No. 70)	.30	
63-17	(use with stand 41-43)	1.50	
	heat experiments, (National Physics Course, No. 92)	.30	
63-19 63-21	Pulse or Palm Glass, two bulbs, with colored liquid Trevelyan Rocker, illustrating the radiation of heat, producing a musical sound, (National Physics Course	.50	
63-23	LXVIII)	2.40	


ORDER







L. E. KNOTT APPARATUS Co., BOSTON, MASS.






Quantity wanted.	Cat. No.	Description.	Price each.	Exten- sion.
İ		NEW APPARATUS.		
	65-6a	Gas Engine, 1-40th horse power with water jacket, and hot tube ignition. A complete plant ready to connect with the gas and operate. Duty Free Price	55.00	
	65-6b	Similar Engine 1-80th horse power. Duty Free Price	21.00	ļ
	65-10	Model of the Steam Engine, made from metal, of neat and		Ì
	65·10b	model of the Steam Engine with glass cylinder and with	12.00	
	65-2	glass cover over the sliding valve, to be operated by compressed air	15.00	
1		on gas	12.00	ŀ








L. E. KNOTT APPARATUS Co., BOSTON, MASS.


Quantity wanted.	Cat. No.	Description.	Price each.	Exter sion
	63-25	Cryophorus, according to Wollaston, showing the cooling by rapid evaporation in a vacuum and resulting in the freezing of water, (National Physics Course		
	63-27	LXXVI)	2.00	
1		tion, for use with air pump	1.80	-
	SECTIO	N 64, HEAT,—TRANSFERENCE OF HEAT, CONDUCTION, CONVECT	ION, ET	C.
	64-29	Rod of Wood and Brass, for illustrating relative conductivity, as used in the National Physics Course LIX	.65	
	64-31	Three Rods of Iron, Copper and Glass, for illustrating relative conductivity, per set of three, (National Physics Course LVII)		
	64-33	Conductometer, a copper vessel with projecting rods of dif- ferent materials, for illustrating relative conduc- tivity; heat is conducted from the hot water in	.35	
	64-35 64-39	the vessel	4.00	
		lustrating radiation and absorption, according to surface and color; to be filled with hot water and used in connection with differential thermom- eter 61-133 and reflectors 64-43pair, 3.00		
	64-41 64-43	Miner's Safety Lamp, Davy	4.00	
	64-45 64-67	Two Stands, with one iron ball for use with 64-43 set, 3.00 Convection Currents Apparatus, (according to the National Physics Course LXI) for showing the convection currents in a liquid	1.20	
	64-69	Convection Currents Apparatus, according to Gage, to show the convection currents in a gas	1.20	
	SEC	TION 65, HEAT,—THERMO-DYNAMICS, NATURE OF HEAT, THE	ORIES,	
	65-3 65-4	Hot Air Engine, large working model	12.00	
	65-5 65-6	Hot Air Engine, horizontal model	2.50	
	а	zontal working model	3. 0 0	
	b 65-7 65-9	See page 57. Wollaston Model of the Steam Engine, cylinder and piston Sectional Model of the Steam Engine, illustrating the operation of the valves, and all essential parts, with	1.50	
	fi5-10	reversible lever	3.50	
	65-11 65-13	Radiometer, Crooke's, one bulb	1.75 4.00	





L. E. KNOTT APPARATUS Co., BOSTON, MASS.


PHYSICS LABORATORY EQUIPMENT

	EQUIPMENT		
Quantity wanted. Cat. No.	Description.	Price each.	Exter sion.
70-3	Kerosene Lamp with asbestos chimney (N. P. C. No. 33)	.50	
73-5	Standard Candles	.50	İ
73-7	Paraffine Candles superfine	-3-	
	SECTION 71, LIGHT,—GENERAL RAYS, SHADOWS, ETC.		•
	See Page 64.		
71-1	Photometer, according to Rumford, as used in the National		1
71-3	Physics Course	4.00	l
71-5	Bunsen Standard Photometer, enclosed, with hood, scale,	4.00	
1	mirrors, screens, etc	7.50	İ
71-7	Students Photometer with scale and hood (Ritchie)	5.00	
	SECTION 72, LIGHT,—REFLECTION.	J .	•
72-2	Apparatus for Reflection according to Gage (Principles of		
72-3	Physics), consisting of a mirror and brass arc,		
ŀ	with sight holes at various angles	1.50	
72-4	See Page 64.	1.50	
72-5	Simple Kaleidoscope, for illustrating multiple reflections		
/3	(National Physics Course XXVI.)	.70	[
72-7	Kaleidoscope, illustrating the principle, dissectable	2.50	
72-9	Multiple Image Apparatus, with hinged mirrors, base	2.50	İ
, , ,	divided into angles; as used in the National Phys-		
•	ics Course XXV	2.00	
72-11	Plain Mirror, thin and of extra quality, for individual ex-		
'	periments in reflection, (National Physics Course,		
	No. 23)	.18	
72-15	Spherical Mirrors, glass, concave and convex, mounted		
	in one frame	3.00	
72-17	Spherical Mirrors, metal, 3 inches diameter, concave and	•	
1	convex, (National Physics Course XXVII)	.60	
72-19	Cylindrical Mirror, metal, concave and convex, for individ-		ĺ
}	ual experiments in obtaining focii, etc., (National		
1	Physical Course, No. 27)	.60	
	Mirrors, pair of concave, refer to 64-43.		
72-21	Flint Glass Prism, 45 and 90 degrees, flat ends, used to		
1	demonstrate total reflection, etc., (National		
	Physics Course XXXI)	.60	
	SECTION 73, LIGHT,—REFRACTION LAWS, ETC.		
73-3	Refraction Plate, polished glass, as designed by F. M. Gilley,		
	(National Physics Course, No. 28)	.30	
73-5	Refractive Index of Water Apparatus, according to the		
1	National Physics Course, as follows:set, .70		
73-5a	Partition, brass, to fit glass jar, (National Phys-		1
1	ics Course, No. 29)	.20	
73-5b	Indicator and Plunger, pair, (National Physics		
Ì	Course, No. 30)	.20	
73-5°	Jar, refer to 91-60	.25	
73-7a	Refractive Index of Water Board, according to F. M. Gilley,		1
_	capable of accurate results	·75	
73-7 ^b	Jar, for preceding, refer to 91-62	.40	
73-15a	Block and Indicating Wire, for the critical angle of water		
	(National Physics Course XXIX)	.20	
73-15b	$r_{\rm cons} = r_{$	e .30	1
L. E. KNOTT APP.	ARATUS Co., Boston, Mass.		









L.VE. KNOTT APPARATUS Co., BOSTON, MASS.




73-23






Quantity wanted.	Cat. No.	Description.	Price each.	Ext
	73-18	See Page 64.		
i	73-21	Demonstration Lenses, illustrating the six different forms		1
		2 inches diameter, in oak caseset, 2.70		
- 1	73-23	Set of Lenses, diameter 11/2 inches, in box, (National Phys-		1
		ics Course XXXIV) for demonstrationset 1.50		1
		Lenses, Double Convex, for illustrating the principle of the		
		telescope, opera glass, burning glass, etc:—		
	73-27	Diameter 4 cm., focus 12 cm	.20	1
	73-29	Diameter 4 cm., focus 15 cm., (National Physics		1
1		Course, No. 31)	.20	1
-	73-31	Diameter 8 cm., focus 15 cm	1.20	
	73-33	Diameter 3½ cm., focus 5 cm	.80	
	73-35	Diameter 10 cm., focus 40 cm	1.80	
	73-49	New Kolbe Light Demonstration Apparatus, for demon-		
		strating the laws of optics, for lecture table work.	•	Ì
,		Disc with stand and set of lenses in case. Outfit		
		complete	17.50	
		Send for Circular 363.		İ
	73-49k	Refraction Tank, for use with 73-49	4.00	
ļ	73-491	Diverging Ray Attachment with stand and short focus lens		ĺ
		with diaphragm	5.00	
1	73-49	Enameled Refraction Plate for Lecture Demonstration, of		İ
		the student apparatus 73-3. Very successful	2.00	İ
	73-5I	Apparatus for Experiments with Lenses (Optical Bench),		l
		for individual work, to be used with meter stick,		}
		as in the National Physics Course, as follows:set, 1.14		1
	73-51a	Lens Holder, (National Physics Course, No. 31a)	.23	!
	b	Pin Holder	. I 2	}
	C	Screen Holder, (National Physics Course, No. 32a)	.15	j
1	đ	Cardboard Screen, printed, (National Physics Course,	,	ļ
Ì		No. 32)	.10	
	е	Supports for Meter Stickpair, .14		
	f	Meter Stick, refer to 11-31		İ
	g	Lens, refer to 73-29.		
l	73-52	See Page 64.		
	73-53	Bent Wire, for Indicator, (National Physics Course, No. 34)	.05	l
	73-55	Block, with white face, (National Physics Course, No. 25)	.15	l




71-1




L. E. KNOTT APPARATUS Co., BOSTON, MASS.



antity nted.	Cat. No.	Description.	Price each.	Exter sion.
		NEW APPARATUS.		
	71-1	Law of Shadows Frame, designed to show at a glance the		
	72-4	law of area, distance and intensity. Price Sextant, wooden model, nicely finished, for demonstrating the use of the sextant, especially adapted for in-	2.00	
	72-T8	struction in physical geography. Duty Free	12.00	
	73-18	optical Bench or Stand, marked plainly in centimeters, for use on lecture table. Adjustable stands support various concave and convex lenses and other attachments. This may be used in showing refraction, spectrum, Bunsen photometer, concave and convex lens, telescope, opera glass,		
		demonstration of the focii of lenses, etc. Duty		
	73-52	Free Price	34.00	
i		prism	•35	İ
	73-67	Model of Galileo's Telescope and Opera Glass. Two lenses, one positive, one negative, mounted on adjusta- ble standards, with the path of the rays of light		
- 1		carefully drawn on the base. Price	4.50	







L. E. KNOTT APPARATUS Co., BOSTON, MASE




NEW APPARATUS.






Quantity wanted. Cat. No.	Description.	Price each.	Extension.
73-100	The Opaque Projector. The full price list of this outfit is published and will be cheerfully furnished. This outfit is indispensable to all laboratories and school rooms for the projection of either lantern slides or opaque subjects. Send for Circular No.		
73-398	Porte Lumiere. This Porte Lumiere is for permanent installation in the wall of the physics lecture room. It includes an adjustable slit and diaphragm for pencils of light. Price, Duty Free	55.00	
73-413	A Set of Lantern Slides, for use on horizontal projection attachment to 73-158, to be used with 10 amperes current, with iron filings, to show the lines of force around conductors. Duty Free Price	20.00	


L. E KNOTT APPARATUS Co., BOSTON, MASS.




Quantity wanted. Cat. No.	Description.	Price each.	Extension.
	NEW APPARATUS.		
73-68	Model of Terrestrial Telescope. Four positive lenses and three diaphragms mounted on adjustable stand-		
	ards as shown in the cut. The purpose of each lens is clearly shown by a drawing on the base which traces a complete set of rays. Duty Free	·	
73-158	New Lantern for the Scientific Laboratory, lending itself to all the uses for which a lantern is desired, and of	00.9	
	the very best and convenient type of construc-		
-	tion. For projection of lantern slides, projecting		
	microscope, spectroscope, polariscope, vertical		
	projection and various experimental demonstra-		
	tions. A complete description of this outfit will		
	be cheerfully furnished on application. See suc-		
	conding pages		


73.68






L. E. KNOTT APPARATUS Co., Buston Mass.
Digitized by





L. E. KNOTT APPARATUS Co., BOSTON, MASS.




73-276

L. E. KNOTT APPARATUS Co., BOSTON, MASSDigitized by GOOS


73-288





		EQUIPMENT SILE I		/3
Quantity wanted.	Cat. No.	Description.	Price each.	Exten- sion.
	73-56a	Lens Holder, as designed at Univ. of Cincinnati	2.50	
	73-56b	Similar, mounted	7.50	
i	73-5 7	Telescope, in four sections, magnifying power 15, in case	, ,	
	13 31	(National Physics Course, No. 93)	2.50	
		Large Telescopes, quoted on application, National Physics Course XXIV.	J ,-	
	73-67	See page 65.		
1	73-68	See page 68.		
l	73-71	Pin-Hole Camera, with ground glass screen	.75	
	73-81	Model of the Eye, dissectible, according to Ritchie	3.90	
	73-87	Persistency of Vision; illustrated with two revolving card-	0,	
	13 - 1	board figures, refer to 21-41	1.25	
	73-100	Opaque Projector, send for special circular.		
	73	Projection Lantern, with Lens, Rheostat, Slide Holder		
		and Carbons for the Electric Current (Send for		
.		Circular.)		
i	73-150	For 6 to 20 feet	54.00	
I		For 10 to 60 feet	65.00	
İ	73-152	For 60 to 90 feet	78.00	
	73-154	For go feet	-	
	73-156	(Send for Circular of size of pictures, etc.)	91.00	
•		1 · · · · · · · · · · · · · · · · · · ·		
	73-158	See page 68.	}	
	73-220	Acetylene Projection Lantern, for distances not exceeding		
1	1.	30 feet, including Generator, ten pounds of Cal-	60	
		cium Carbide, Lens and Slide Holder	68.50	
	73-230	Carbide, especially prepared for lanterns, 10 pounds	1.50	
i	73-240	Arc, hand feed, Columbia College design	15.00	
1	73-242	Rheostat, German silver, mounted, 6 ohms, 10 amperes		
		carrying capacity	6.00	
1	73-243	Rheostat, mounted, adjustable, 6 ohms, 20 amperes carry-	1	
	_	ing capacity	12.00	
	73-246	Carbons, soft core ½ inch, for use with electric lantern,		
	_	per hundred, 8.00		
	73-248	Carbons, soft core. 3-8 inchper hundred, 8.00		
-	73-250	Double Knife Switch, 15 amperes	.75	
- [73-252	Plug and Socket, mounted in porcelain, for arc lamp cir-		
		cuits	2.75	
	73-256	Double Insulated Flexible Cord, 15 amperes carrying capa-		
		cityper foot, .14		
1	73-258	Slide Holder for lantern slides, 2 slides, automatic lift		
1		for each slide	1.00	
ŀ	73-260	Condensing Lens, short focus	1.50	
.	73-262	Condensing Lens, long focus	1.50	
ŀ	73-274	Microscope Attachment, micrometer screw adjustment.		
1		without objective	12.00	
l	73-276	Same with objective	20.00	
1	73-277	Von Nardroff Color Mixer, for the composition of colors,		
		etc., may be used on any lantern	30.00	
ł	73-288	Projection Tank, for our lantern	5.00	
		·	•	




L. E. KNOTT APPARATUS Co., BOSTON, MASS








For Illustrations IV and V refer to back of the book.



L. E. KNOTT APPARATUS Co., BOSTON, MASS, Digitized by GOOSE

SHEET


Quantit wanted.	. Cat. No.	Description.	Price each.	Extension.
		Objective Projection Lenses, for Lanterns:		
	73-300	I-4 Plate lens	6.50	1
	73-302	I-2 Plate lens	12.00	l
1	73-304	2-3 Plate lens	20.00	}
	73-306	4-4 Plate lens	32.00	
	73-332	Acetylene Generator, capacity 2 hours	20.00	
	73-340	Table for Lantern	14.00	
	73 34-	Screens for Lantern, opaque cloth, on spring roller:	-4	
l	73-346a	10 by 10 feet	20.00	
	73-346b	12 by 12 feet	24.00	
	73 3400	Screens for Lantern, re-enforced edges, with rings:	24.00	
	73-348a	10 by 10 feet	7.00	
	73-348b	12 by 12 feet	•	
	73-348c	15 by 15 feet	9.50	
	1	1	14.00	
	73-398	See page 67.		
	73-400	Porte Lumiere, Sun Lantern, Ritchie:	- 0	
	1	aa Frame and Mirror. See Fig. V	18.00	ì
		bb Optical Benchcc Additions as illustrated in Fig. II with bb	5.50	
		and 73-401 dd For Microscopic Projection. See Fig. III and 73-276. ee Additions as illustrated in Fig. IV for spec-	20.00	
	İ	trum projection, with bb and 73-401	17.50	
		I The cross-section of the instrument.		İ
		II Projection of lantern slides.		l
		III Microscopic projection.		
		IV Projection of the spectrum		1
		V The instrument fastened to the window board.		
		Further information will be cheerfully furnished.		
	73-401	Condenser Lens	1.50	
	1	pencil of light	1.50	
		Note —See list of Lantern Attachments for other accessories to be used on the Porte Lumiere.		
	73-410	Vertical Projection Outfit, for use with Lantern or Porte		
	1,3	Lumiere	8.00	
	73-413	See page 67.		İ
	73-414	A Set of Lantern Slides with permanent magnets to be used		
	/3 4-4	on horizontal projection outfit 73-158, for demon-		
	1	stration of iron filings of the magnetic lines of		1
		force. Duty Free Price	20.00	
	73-420	Dolbear's Art of Projection, book	1	
		TION 74, LIGHT,—DISPERSION, DIFFRACTION, INTERFERENCE,	,	1
	74-3	Diffraction Grating, photographic	4.50	
		Flint Glass Prisms, 60 degrees:		
	74-5	4 inch	.40	
	74-7		5.00	
	74-9	Bottle Prism of glass, faces highly polished, (National		1 2
		Physics Course XXXII)	4.00	-
	74-11	Bottle Prism, metal frame, glass faces	3.75	
		Right Angle Prism, refer to 72-21.	1	
	74-15	Newton's Color Discs, refer to 21-35	2.00	
	74-17	Blue Glass Plates, 2x4 inches, Cobalt, uniform color	.10	
		ARATUS Co., Boston, Mass. Digitized by		




L. E. KNOTT APPARATUS Co., BOSTON, MASS

ity d. Cat. No.	Description.	Price each.	Extension.
74-19	Spectrum Chart, finely colored	1.50	İ
74-21	Colored Glass Plates, three colors, (National Physics Course		
	XXIII)set,	00	ļ
74-23	Aniline Colorsthree in set,	.30	
	Von Nardroff Color Miner, reler to 73-277.		
74-27	Achromatic Prismpair,	1	
74-29	Newton's Rings, mounted in brass	1.50	1
	SECTION 75, LIGHT,—VEL CITY COLARIZATION, ETC.		
75-3	Polariscope, simple model, according to Tickering	7.00	
75-11	Glass, not annealed, for polarized light experiments		
75-13	Mica Films, for polarized light	1.00	
75-17	Tourmaline Tongs, for polarized light		-
75-21	Nicol's Prism, small	3.00	
75-23	Nicol's Prism, large	4.00	
-	Iceland Spar Prism, showing double refraction:		İ
75-27	Small size	40	
75-29	Large size	1.50	
	The following goods are well illustrated and described in a special catalog No. 130-8.		
81-2 81-4 81-8	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.00	
81-4 81-8	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.50 .20	
81-4 81-8 81-12	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.50 .20 2.50 .25	
81-4 81-8 81-12 81-16	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small Lode Stone, distinct poles, large size Bar Magnet, 2x 1/4x 1/4 inches, superior magnetic properties, for students use	1.50 .20 2.50 .25	
81-4 81-8 81-12	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small. Lode Stone, distinct poles, large size. Bar Magnet, 2x ½x ½ inches, superior magnetic properties, for students' use	1.50 .20 2.50 .25	
81-4 81-8 81-12 81-16	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small Lode Stone, distinct poles, large size Bar Magnet, 2x 1/4x 1/4 inches, superior magnetic properties, for students use	1.50 .20 2.50 .25	
81-4 81-8 81-12 81-16	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small. Lode Stone, distinct poles, large size. Bar Magnet, 2x ½x ½ inches, superior magnetic properties, for students' use	1.50 .20 2.50 .25	
81-4 81-8 81-12 81-16	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small Lode Stone, distinct poles, large size Bar Magnet, 2x ¼x ¼ inches, superior magnetic properties, for students use	1.50 .20 2.50 .25	
81-4 81-8 81-12 81-16	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small Lode Stone, distinct poles, large size Bar Magnet, 2x ¼x ¼ inches, superior magnetic properties, for students use	1.50 .20 2.50 .25 1.90	
81-4 81-8 81-12 81-16	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.50 .20 2.50 .25 1.90	
81-4 81-8 81-12 81-16	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.50 .20 2.50 .25 1.90 .50	
81-4 81-8 81-12 81-16 18-18	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.50 .20 2.50 .25 1.90 .50 ches	
81-4 81-8 81-12 81-16 18-18	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.50 2.50 2.50 2.50 2.50 2.50 2.50	
81-4 81-8 81-12 81-16 18-18	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.50 2.50 2.50 2.50 2.50 2.50 2.50 2.50 2	
81-4 81-8 81-12 81-16 18-18	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.50 2.50 2.50 2.50 2.50 2.50 2.50 2.50 2	
81-4 81-8 81-12 81-16 18-18 81-46 81-48 81-50	The following goods are well illustrated and described in a special catalog No. 130-8. Lode Stone, distinct poles, small	1.50 2.50 2.50 2.50 2.50 2.50 2.50 2.50 2	

ORDER



Quantity wanted. Cat. No.	Description.	Price each.	Exten sion.
81-62	Apparatus for Foucault Currents, rotating copper disc for whirling table, magnetic needle insulated with		
81-66	mica, (refer to 21-39)	5.75	
81-68	stration instrument	1.75	
	& Gee, for measurement by vibration, with graduated scale	9.50	
81-70	Magnetometer, according to Coulomb	30.00	-
81-72	Magnetoscope, Flask form	1.25	1
	SECTION 82, MAGNETISM,—TERRESTRIAL.		
82-2	Large Magnetic Needle, mounted on a pivot and stand	.75	
82-4	Large Magnetic Needle, agate bearing, mounted similar to		
82-12	Short Needle Compass, for tracing the lines of force, stu-	.1.25	
	dents' use,doz., 1.80		1
82-15 82-16	Compass, 2½ cm. diameter, graduated to 90 degrees	.25	
82-22	galvanometer	.35	
	degrees, for use with tangent galvanometer	1.50	
82-28	Marine Compass, scientific construction, gimbal bearings. Many fundamental principles in physics illus-		
	trated	16.00	
82-36	Dipping Needle	2.75	
82-37	See page 95.		
82-38	Miner's Dipping Compass, in case	12.00	
82-40	Earth Inductor, large size	25.00	
	SECTION 83, STATIC ELECTRICITY,—GENERATION.		
983-2	Glass Rod, for frictional electricity, Scotch glass	.30	
83-4	Hard Rubber Rod, for frictional electricity	.40	
83-6	Resinous Rod, moulded	.20	
83-8	Silk Exciting Pad	.50	
83-10	Catskin, medium size	·75	
83-12	Catskin, extra large	1.00	
83-14	Pith Balls, assorteddoz., .25		-
83-16	Electrophorus, 10 inches	2.00	
83-20	Electrophorus, large Ritchie Lecture Table type	12.00	
	TION 84, ELECTRICITY,—STATIC DISTRIBUTION, INSULATORS,		
84-2	Induction and Distribution Sphere, 6 inches	8.50	1
84-4	Induction and Distribution Sphere, 41/2 inches	4.00	1
84-8	Induction Cylinder on insulated stand, 8 inches	3.50	1
84-10	Induction Cylinder, similar, 16 inches	10.00	
84-16	Ellipsoidal Conductor	7.50	t
84-18	Electric Whirl	1.25	[
84-22	Biot's Dissectible Globe	8.00	1
84-24	Coulomb's Proof Plane	.30	
84-26	Metal Electric Screen, for electroscope	2.00	1



L. E. KNOTT APPARATUS Co., BOSTON, MASS,

 $\mathsf{Digitized} \; \mathsf{by} \; Google$

SECTION 85, ELECTRICITY, -STATIC CONDENSATION.


Qunatity wanted. Cat. No.	Description.	Price each.	Exten-
85-2	Dissectible Condenser, according to Epinus	15.00	
85-8	Leyden Jar, one quart, Ritchie glass	1.50	
85-12	Leyden Jar, two quarts, Ritchie glass	2.25	1
85-16	Leyden Jar, for Toepler-Holtz Machine with twelve-inch	•	
	plate	.75	
85-18	Leyden Jar, for Toepler-Holtz Machine with sixteen-inch		
	plate	1.00	
85-22	Discharger, for Leyden jar	1.50	
85-28	Dissectible Leyden Jar	3.00	
85-32	Leyden Jar, with diamond shape cuttings	3.00	ł
85-38	Insulated Stool	4.00	
85-40	Leyden Jar Battery, two one-quart jars	5.00	
85-42	Leyden Jar Battery, four one-quart jars	9.00	i
85-44	Leyden Jar Battery, six one-quart jars	13.00	

SECTION 86, ELECTRICITY,—STATIC ELECTROMETERS.

86-2	Pith Ball Electrometer	.50
86-6	Electro-static Indicator	1.00
86-8	Gold Leaf Electroscope	2.00
86-12	Bennett's Gold Leaf Electroscope	4.59
86-14	Volta Condensing Plates, for preceding	2.50
86-16	Condenser Plate and Point, for above	2.00
86-18a	Wilson's Radio-Electroscope, for measuring relative radio-	
	activities	12,00
86-18b	Reading Telescope, especially constructed for above	12.00
86-18c	Set of Radio-Active Elements	2.00
86-20	Coulomb's Torsion Balance	17.50
86-28	Electric Glass Piercing Apparatus	2.75
86-30	Plates for Pith Images	1.50
86-32	Pith Images per pair, .75	_
86-36	Chimes of Bells, two bells	1.25
86-40	Chimes of Bells, three bells	1.50
86-44	Chimes of Bells, set of seven, mounted on a standard, brass	
	and nickel finish	9.00

LABORATORY APRONS,

SEND FOR DESCRIPTIVE MATTER.




L. E. KNOTT APPARATUS Co., BOSTON, MASS.

SECTION 87, ELECTRICITY, STATIC,—FRICTIONAL AND STATIC MACHINES.

Quantity wanted	Cat. No.	Description.	Price each.	Exter
	87-6	Ritchie Toepler-Holtz Machine, base 12 by 15 inches Duty free	19.50	
	87-8	Similar, base 22 by 15 Duty free	38.50	1
	-	Refer to 89-50 and 89-52.		ĺ
		Wimshurst Machine, made from selected materials:		1
	87-10	8-inch plate	10.00	1
	87-12	12-inch plate	32.00	
	87-14	14-inch plate	48.00	1
	87-20	Glass Plates, for various electric machines, data given on	•	
	'	sketch (send for circular.)		
1	87-26	Handles and Electrodes, including flexible cordper pair, 1.50		ł
	87-28	Amalgam		
1	87-30	Brass Chainper yard		
1	87-34	Spiral Tubes	3.00	
·		SECTION 88, ELECTRICITY, STATIC,—VACUUM DISCHARGE.	-	•
	88-2	Geissler Tubes, set of four, illustrating the various types		
l		of fluorescence, etc	2.40	
	88-8	Geissler Tube, large Lecture Table demonstration tube,		
		20 inches long	3.00	
	88-12	Geissler Tube, vertical demonstration tube, glass of vari-		
		ous colors	3.00	
	88-16	Geissler Globe, with magnet, showing the rotary action		
		of the field around a magnet	5.00	
	88-20	Plucker's Spectrum Tubes, with various gases as follows:	_	
		CO ₂ , H ₂ O, H, N, and O	2.00	i
	88-22	Electric Globe, with stopcock	7.50	
	88-24	Aurora Tube, refer to Guinea and Feather Tube 24-61	7.50	
	88-26	Double Fluorescent Geissler Tube, with fluorescence solu-	, ,	
		tions	1.80	ł
	88-28	Phosphorescent Geissler Tube, with various crystalline salts	1.50	Ì
	88-32	Phosphorescent Mercury Tube, self exciting	2.20	
	88-42	Gassiot's Cascade, for use with air pump and bell glass	1.50	
	88-46	Graduated Vacuum Tube, illustrating the stages of exhaus-	50	
		tion	0.00	
	88-50	Maltese Cross Tube, same type as used by Roentgen	5.00	
	88-52	Crooke's Adjustable Vacuum Tube, illustrating the re-	5.00	
1	30-32	duction of exhaustion by heat	8.50	

HARCOURT PORTRAITS OF SCIENTISTS,

SEND FOR DESCRIPTIVE LITERATURE.



L. E. KNOTT APPARATUS CO., BOSTON, MASS.

Digitized by GOOSIC

SHEET


SECTION 89, ELECTRICITY, STATIC, X-RAY PRODUCTION.

Quantity wanted. Cat. No.	Description.	Price each.	Extension.
89-2a	Single Focus Crooke's X-Ray Tube, for static machine	6.00	
89-2b	Similar, for large static machine	10.00	
89-6a	Similar, for Induction Coil	6.00	
89-6b	Similar, for large Induction Coil	10.00	
89-10	Focus Tube, for High Frequency Tesla Coils	10.00	
89-20	Boltwood Pump, for operation with five pounds of mercury,		1
	mounted on stand	7.50	l
89-24	Similar, without stand	6.00	
89-30	Dewar Bulb, for use with Boltwood Pump	2.50	1
89-36	Crooke's Tube, (X-Ray), for use with Boltwood Pump	2.50	
89-40	Barometer Tube, for use with Boltwood Pump	2.50	
89-44	Geissler Tube, for use with Boltwood Pump	2.50	
89-50	L. E. Knott Apparatus Company's 4-plate Influence Ma-		
	chine, with mahogany and glass case, high-speed		
	gearing	75.00	
89-52	Similar, 8-plate, (refer to 87-6)	125.00	
89-60	Fluoroscope, constructed of the finest material, 3 by 4		
	inches	6.00	
89-62	Fluoroscope, similar to preceding, 4 by 7 inches	12.00	
89-64	Fluoroscope, similar to preceding, 7 by 9 inches	24.00	
89-70	Tube Holder, especially for Crooke's tubes, very satisfactory (Send for Circular of X-Ray Material.)	2.00	
89-72	Set of X-Ray Apparatus, including fluoroscope, Crooke's		
09.72	tube, stand and connecting chains. Well select-		
	ed for high school laboratory. Tube may be		
	operated with induction coil of 2-inch spark, or		
	with the static machine giving a 2-inch spark.		
	Send for Illustration. Duty Free Price	16.00	
ı	bend for mustration. Duty Free Price	10.00	I

SECTION 91, ELECTRICITY, -ELECTRO-DYNAMICS AND MECHANICS.

	The following goods are well illustrated and described in a
	Special Catalog 130-9:
91-2	Spring Brass Wire, without insulation:
	Catalog Number 91-2a b c
	B. & S. Gauge, No. 24 27 30
	Per Spool .35 .40 .55
91-4	Wire, Copper, without insulation, on spools:
	Catalog Number 91-4a b c d e f g h hh
	B. & S. Gauge, No. 16 18 20 22 24 26 27 28 29 30
	Feet per Spool 128 143 162 257 409 651 800 1035 800 820
	Price per Spool .625 .325 .35 .39 .40 .51 .53 .66 .71 .35
91-6	Copper Wire, double insulation, on spools:
-	Catalog Number 91-6a b c d e f g h
	B. & S. Gauge, No. 16 18 20 22 24 26 28 30
	Price per Spool 70 .43 .43 .63 .63 .73 .48 .57
91-8	Wire, Iron, soft drawn, without insulation:
• .	Catalog Number 91-8a b c
	B. & S. Gauge, No. 24 27 30
	Price per Spool .18 .29 .35

91-24





88












91-31



91-25

91-32




91-39

91-40

91-33














91-46 L E. KNOTT APPARATUS Co., BOSTON, MASS.

Quantity wanted. Cat. No.	Description.	Price each.	Exten- sion
91-10	Wire, German Silver, without insulation, 18 per cent:		
	Catalog Number 91-10a b c	•	1
	B. &. S. Gauge, No. 26 28 30		
	Price per Spool .65 .75 .95		
91-16	Flexible Cord, for battery connections, ends prepared,		1
	carrying capacity 10 amperesdoz., 3.84		İ
91-18	Terminal Ends, for flexible cord, screw clamping device	.10	
	Binding Posts, carefully made and furnishing a large collection:		
	Per 100 Per 100		
	91-2038.00		1
	91-2216.00		l
	91-23		
	91-24		
	91-25		1
	91-26		l
	91-27		
	91-28		ļ
	91-29		}
	91-309.00 91-4413.00		
	91-3113.00		Ţ
	91-3213.00		İ
	91-3313.00		
	91-34		
91-56	Binding Posts, double connectors per 100, 12.00		Į.
91-58	Binding Posts, triple connectorsper 100, 24.00		1
	Battery Jars, hard glass, well annealed:		1
91-59	Diameter 2½, by 3 inches high	.12	ì
91-60	Diameter 4, by 5 inches high	.25	
91-62	Diameter 6, by 8 inches high	.40	1
. 91-64	,	1.50	1
	Rectangular Battery Jars, fine grade Base 134 by 334, by 634 inches high		}
91-72	Base 3 by 4, by 6 inches high	. 5 0 .60	1
91-74	Base 8 by to, by 10 inches high.		1
91-76	Dase a by to, by it menes mgn	2.00	j.

SPECIAL ATTENTION GIVEN TO REPAIRS.



L. E. KNOTT APPARATUS CO., BOSTON, MASS
Digitized by GOOS

SECTION 92, ELECTRICITY,—CURRENT FOR CHEMICAL ACTION.

Quantity wanted. Cat. No.	Description.	Price each.	Exten sion.
92-4	Chart, according to Brackett, illustrating the chemical		
	change in a simple cell	.50	
92-6	Skidmore Battery Stand	1.20	
a	Complete with all the elements, etc	2.40	1
	Parts for above:		į.
92-7	Porous Cup, special size	.16	
92-8	Battery Jar	.10	ł
92-9	Zinc Element, 3-8 inches diameter	.10	
92-10	Carbon Element, 3-4 inches diameter	.10	
92-11	Zinc Plate Element	.08	1
92-12	Copper Plate Element	.08	
92-13	Iron Plate Element	.07	1
92-14	Aluminum Plate Element	.10	
92-15	Lead Plate Element	.07	1
92-16	Copper, Cylindrical	.40	İ
92-18	Apparatus for Elementary Battery (National Physics		1
	Course, No. 99)set, .37		
92-19	Battery Clamp, for holding zinc and copper for above	.20	1
92-20	Zinc and Copper Elements, permanently attachedpair, .o6		i
92-22	Zinc Element, (National Physics Course, No. 99)	.06	1
92-24	Copper Element, (National Physics Course, No.99)	.06	
92-26	Lead Element	.08	1
92-30	Clark Standard Cell, with thermometer	20.00	ł
92-31	Clark Standard Cell, without thermometer	12.50	l
92-32	Water Battery, fifty cells, in a substantial base	5.85	
92-34	Dry Battery, large French patternper cell, 1.00		1
92-36	Dry Battery, regular type, extra power, most convenient		l
	for many uses in the laboratory	∙35	1
92-38	Gravity Battery, Western Union type	1.25	1
92-39	Zinc Element, for above	.60	1
92-40	Copper Element, for above	.25	1
92-42	LeClanche Cell.	1.00	ļ
92-43	Zinc Rod, for preceding	.10	l
92-46	Students' Daniell Cell, (National Physics Course, No. 101)	∙75	ļ
92-47	Zinc Element, for above	.20	ł
92-48	Copper Element, for above	.15	
92-49	Porous Cup, special size, for above	.20	
92-50	Standard Daniell Cell	2.10	1
92-51	Zinc Element, for above	.50	1
92-52	Copper Element, for above	.90	
92-53	Porous Cup, special size, for above	.30	1

Send for the National Physics Note-Book.





92-56 92-60 92-62



92-58



92-68




92-70




92-98



92-98d



92-78




92-90



92-91

92-93 92-92



92-80




92-100




92-104

L. E. KNOTT APPARATUS Co., BOSTON, MASS.

Quantity wanted. Cat. No.	Description.	Price each.	Extension.
92-55	Grenet Cell, French manufacture, one pint	3.00	
92-56	Same, one quart	3.50	1
92-58	Same, two quarts	4.50	
92-60	Zinc Element, for one quart size, above	.35	
92-61	Zinc Element, for two quart size, above	· 4 5	
92-62	Carbon Element, for one quart size, above	.60	
92-63	Carbon Element, for two quart size, above	.85	
	Broken Elements sent to us will be promptly repaired.	_	
92-68	Students' Plunge Battery, two cells	3.00	
92-70	Students' Plunge Battery, four cells	5.00	
92-71	Zinc Elements, for above	.20	ļ
92-72	Carbon Elements, for above	.20	1
92-76	High School Plunge Battery, four cells, superior construc-		
	tion	17.50	1
92-78	High School Plunge Battery, six cells, similar to preceding	23.50	i
	Elements, for above:		
92-79a	Zinc	1.25	
92-79b	Carbon	.75	
92-90	Bunsen Cell, one quart	1.75	
	Elements, etc., for above:	, ,	
92-91	Zinc Element	1.00	
92-92	Carbon Element	.30	l i
92-93	Porous Cup, special size	.15	1
92-94	Glass Jar, refer to 91-60	:60	i
92-98	Edison Lelande Battery, type S	4.00	
	Elements, etc., for above:	•	l
92-98a	Zinc Element per pair .63		
92-98b	Copper Element per pair .00		1
92-98c	Potashper can .46		
92-98d	Oil,per bottle .08		
92-100	Students' Storage Battery	2.50	
92-104	Laboratory Storage Battery	11.50	




ORDER




L. E. KNOTT APPARATUS Co., BOSTON, MASS

 $\mathsf{Digitized} \; \mathsf{by} \; Google$

Quantity vanted. Cat. No.		Description.		Exten-
8	2-37	Laboratory Dipping Needle for use of the student in the		
		laboratory. Devised by W. R. Pyle, Morris		
		High School, N. Y. This outfit with a set of 6		}
		needles is furnished without magnetism. The		1
		needle is balanced by the student and then mag-		
		netized. The dip is carefully taken and noted.		1
-		Therefore, the magnetic dip is well emphasized.		
		May be used either for laboratory work by the		į
		student or a lecture table demonstration. Price	2.00	ĺ
9	3-7	Thermopile, made from constantine and iron. The in-		
		crease of one degree Centigrade gives 1000 micro-		
		volts current. Duty Free Price	33.00	l
9	6-20	Resistance Boxes. This little resistance box is quite ac-		
		curately made and is indispensable to those High		
	•	Schools who desire to use the Wheatstone bridge		
		for fractional results and can use the resistance		
		box for all measurements from one to 20 ohms.		
		This box has been tested and favorably recom-		
		mended by Mr. N. Henry Black of the Roxbury		
		Latin School. Price	4.25	






L. E. KNOTT APPARATUS Co., BOSTON, MASS.


SHEET

SECTION 93, ELECTRICITY,—THERMO-CURRENTS AND ELECTROLYSIS.

Quantity wanted. Cat. No.	Description.		Extension.
93-2	Thermo-Electric Pair, mounted, with magnetic needle	6.00	
93-4	Thermo-Electric Pair, simple model, for illustration	1.50	
93-6	Thermo-Electric Multiplier, twenty pair, designed by Ritchie	20.75	
93-8	Similar to preceding, forty-nine pair	35.00	
93-12	Knott's Elementary Electrolysis Apparatus, most successful type introduced with platinum electrode, de-	-	
	tachable	2.60	
93-14 93-16	Similar, including both platinum and carbon electrodes Similar, including both platinum and carbon electrodes,	3.20	
93-18	and support with binding post	5.20	
	stopcocks and platinum electrodes	7.00	
93-20	Similar, with stand and binding post	11.50	
93-24	Carbon Electrodes for abovepair, 1.00		
93-26	Electroplating Outfit	5.50	
93-34	Copper-Voltameter, Sabine type	1.50	
93-37	Students' Simple Electric Calorimeter	2.50	
93-38	Electric Calorimeter, with non-conducting case, stirring		
	arrangement, advanced type	15.00	
93-39	Special Thermometer, for above	2.00	
93-49	Test Wire, for 93-38	.25	
Ç4- 3	Oersted's Law Apparatus, showing the effect of induction of currents on magnetic needle, including needle	3.50	
94-4	Parallel Conductor Apparatus	1.30	
94-4	Contracting Helix	2.75	
94-12	Floating Helix and Cell	1.50	
94-16	Helix and Ring, detachable	3.00	
•	Students' Electro-Magnet	3.00	
		50	
94-20 94-28	Demonstration Electro-Magnet, dissectible, for ten volts	.50 2.50	
1 - 1		- 1	
94-28	Demonstration Electro-Magnet, dissectible, for ten volts Mounted Electro-Magnet, in frame, very powerful, a fine	2.50	
94-28	Demonstration Electro-Magnet, dissectible, for ten volts Mounted Electro-Magnet, in frame, very powerful, a fine demonstration piece SECTION 95, ELECTRICITY,—GALVANOMETERS. Students' Tangent Galvanometer, with compass, (National	2.50	
94-28 94-34	Demonstration Electro-Magnet, dissectible, for ten volts Mounted Electro-Magnet, in frame, very powerful, a fine demonstration piece SECTION 95, ELECTRICITY,—GALVANOMETERS. Students' Tangent Galvanometer, with compass, (National Physics Course, No. 100)	2.50	
94-28 94-34	Demonstration Electro-Magnet, dissectible, for ten volts Mounted Electro-Magnet, in frame, very powerful, a fine demonstration piece SECTION 95, ELECTRICITY,—GALVANOMETERS. Students' Tangent Galvanometer, with compass, (National	6.00	
94-28 94-34	Demonstration Electro-Magnet, dissectible, for ten volts Mounted Electro-Magnet, in frame, very powerful, a fine demonstration piece SECTION 95, ELECTRICITY,—GALVANOMETERS. Students' Tangent Galvanometer, with compass, (National Physics Course, No. 100) Similar, with agate-mounted needle	2.50	<i>,</i>
94-28 94-34 95-2 95-4	Demonstration Electro-Magnet, dissectible, for ten volts Mounted Electro-Magnet, in frame, very powerful, a fine demonstration piece SECTION 95, ELECTRICITY,—GALVANOMETERS. Students' Tangent Galvanometer, with compass, (National Physics Course, No. 100) Similar, with agate-mounted needle Similar, with agate-mounted needle and right angle aluminum pointer	2.50	,
94-28 94-34 95-2 95-4 95-6 95-10	Demonstration Electro-Magnet, dissectible, for ten volts Mounted Electro-Magnet, in frame, very powerful, a fine demonstration piece SECTION 95, ELECTRICITY,—GALVANOMETERS. Students' Tangent Galvanometer, with compass, (National Physics Course, No. 100) Similar, with agate-mounted needle	2.50 6.00	a a
94-28 94-34 95-2 95-4 95-6	Demonstration Electro-Magnet, dissectible, for ten volts	2.50 6.00	J.
94-28 94-34 95-2 95-4 95-6 95-10	Demonstration Electro-Magnet, dissectible, for ten volts	2.50 6.00 2.50 3.00 4.00 9.00	,
94-28 94-34 95-2 95-4 95-6 95-10 95-12	Demonstration Electro-Magnet, dissectible, for ten volts	2.50 6.00 2.50 3.00 4.00 9.00 9.00	,,



95-38



95-34







95-36



95-46








E SNOTT APPARATUS CO. JOSTON






95-69




Electrical Testing Set.

ORDER



95-93





95-123




Quantity wanted.	Cat. No.	Description.	Price each.	Exten-
	95-30	Horizontal Galvanometer	2.00	
	95-34	Knott's Lecture Table Galvanometer	6.50	İ
	95-3 6	College Lecture Table Galvanometer	24.00	
	95-37	Knott's Lecture Table Galvanometer, Voltmeter and Ammeter, refer to page 103.		
	95-38	Trowbridge Sensitive Galvanometer, including one ohm coil		
		and needle	3.50	
	95-39	20 ohm Coil	1.00	
	95-40	Needle with mirror	1.25	
	95-41	Damping Well	.75	
	95-42	Cover of Brass, with window	2.00	
	95-46	Astatic Galvanometer, according to National Physics		
j	-	Course, No. 107	4.00	
	95-48	Differential Galvanometer, astatic winding	15.00	
	95-69	Elementary Universal Shunt, according to Ayrton, of inval- uable use in the laboratory. A new introduc-	-	
		tion. Send for circular	6.00	
	95-91	Students' D'Arsonval Galvanometer, 20 megohms sensibili-		
1		ty, a new instrument, very valuable	6.75	
	95-93	The W-K D'Arsonval Galvanometer, 150 megohms sensi-		
		bility, a new and valuable instrument (send for		
.		special circular)	1 5.0 0	i
	95-104	Columbia College Laboratory Stand, special	15.00	
	95-121	Students' Volt and Ammeter, range 10 volts and 10 am-		
3		peres	6.75	
	95-123	Students' Volt and Ammeter, range 20 volts and 15 am-		
		peres	10.00	
1	95-125	Students' Volt and Ammeter, range 50 volts and 10 am-		
	•	peres	11.00	
	95-126	Students' Voltmeter, 120 volts	12.00	
	95-131	Pocket Ammeter, range 20 amperes, watch case type	6.00	1


LIST OF CHEMICAL APPARATUS SENT WHEN REQUESTED.







Quantity wanted. Cat. No.	Description		Price each.	Exten sion.
95-37	Mnott's Lecture Table Galvanometer, Vermeter. A demonstration of the D'Arsonval galvanometer 25 milli-volts. A combined we and 50 volts respective ranges. Meter of 2 and 15 amperes Illustrating the method by what ammeter is made from the D'A eter. All the connections may sensitive galvanometer is the lecture table instrument of this ly recommended. It is espective designs and lends itself to may ments. Duty Free Price	he construction of with sensibility of oltmeter of 3 volts A combined am- respective ranges. sich a voltmeter or crsonval galvanom- y be seen and this most convenient s type. It is high- ially made to our ost favorable com-	34.00	
'	VOLTMETERS AND AMM			
.1	The following line of Standa	rd instruments is		
	offered as the best quality of	wall instruments		j
		e to our order by a		i
	first-class German manufacture	er, and will be im-		
	ported promptly free of duty	at the following		
İ	prices:			
95-132	Voltmeter for Alternating Current, o to	120 volts. Duty		
	Free Price		14.00	
95-133	Voltmeters for Direct Current:	D. J. Burn Duine		
	a o to 5 volts in 1-10.	Duty Free Price	14.00	
	b o to 10 volts in 1-5.	Duty Free Price Duty Free Price	14.00	
	c o to 15 volts in 1-5. d o to 30 volts in 1-2.	Duty Free Price	14.00	
	e o to 120 volts in 2 volts.	Duty Free Price	14.00	
	f o to 250 volts in 2 volts.	Duty Free Price	14.00	
	g o to 25 millivolts.	Duty Free Price	17.00 14.00	
95-136	Ammeters for Alternating Current:	Easy 1100 11100	14.00	
75 -5	a o to 10 amperes.	Duty Free Price	14.00	
	b o to 20 amperes.	Duty Free Price	14.00	
	c o to 15 amperes.	Duty Free Price	14.00	
95-137	Ammeters for Direct Current:	,	14.00	
1,000	a o to 5 amperes in 1-10.	Duty Free Price	14.00	
	b o to 10 amperes in 1-5.	Duty Free Price	14.00	
	c o to 20 amperes in 1-2.	Duty Free Price	14.00	
	d o to 15 amperes in 1.			



L. E. KNOTT APPARATUS Co., BOSTON, MASS.
Digitized by GOGS

96-90


105


SHEET


SECTION 96, ELECTRICITY,—RESISTANCE.


Quantity wanted.	Cat. No.	Description.	Price each.	Exten- sion.
	96-2	Resistance Coils, set of eight, according to the National		
	96-6	Physics Course	3.00	
		Physics Course, improved	1.50	
	96-12	Wheatstone Short-Form Slide Wire Bridge	3.00	
	96-14	Wheatstone Meter Bridge, slide wire	3.75	
	96-19	Wheatstone Bridge, square form	5.00	}
	96-20	Plug Resistance Box, range one to twenty ohms	4.25	
	96-24	Plug Resistance Box, range one-tenth to one hundred and		,
		eleven ohms	6.00	<u> </u>
	96-26	Plug Resistance Box, range one-tenth to one hundred and		
		eleven ohms, with certificate from our Electrical		I
		Laboratory	10.00	
	96-30	Round Plug Resistance Box, range one-tenth to one hun-		
		dred and sixty-one ohms	10.00	
		Nore: —List of high grade resistance boxes and other apparatus will be sent on application.	!	
	96-49a	Texas Resistance Box and Bridge, of highest accuracy, (send		
1		for particulars)	85.00	l.
	96-49b	Resistance Box, with range same as preceding, accuracy		
		one-twentieth per cent., (send for circular)	45.00	1
i	96-54	Standard Coils, one to ten ohms, accurate	10.00	
	96-60	Lamp Resistance, range 1-8 to two amperes on 110 volt		
		circuit, current reverser and fuse. For use on		1
		the lecture table. Send for circular	9.00	
		NoteRheostats for arc lights refer to 73-20.	· · ·	1
	g6-8o	Single Contact Key	.50	
Į	96-81	Double Contact Key	1.00	l
İ	06-82	Break Key	1.00	
	96-84	Two-point Switch	.28	
	96-86	Three-point Switch	.34	
	96-90	Pole Changer, according to the National Physics Course	.75	1
	96-94	Pole Changer, Palmer's Plug Pattern, first quality	4.50	1
	96-98	Pole Changer, Pohl's pattern	1.50)


LIST OF BIOLOGICAL APPARATUS SENT WHEN REQUESTED.















97-16


L. E. KNOTT APPARATUS CO., BOSTON, MASS.
Digitized by 1008

SECTION 97,—ELECTRICITY,—TRANSFORMERS.

Quantity wanted. Cat. No.	Description.	Price each.	Extension.
97-2	Faraday's Ring, illustrating the commercial transformer,		
	with binding posts, mounted	2.50	
97-10	Primary and Secondary Coil, efficient winding for best re-		
	sults	7.50	
97-11	Similar, with make and break	10.50	
97-12	Make and Break Attachment, for 97-10	3.00	
97-16	Demonstration Induction Coil, 1/4 inch spark	6.00	
97-17	Demonstration Induction Coil, 1/2 inch spark	10.00	
97-24	Dissectible Ruhmkorff Coil, showing the condenser, make		
	and break, core, primary and secondary of effi-		
	cient construction, finely finished for a lecture		
	table piece, duty free	40.00	
97-30	Ruhmkorff Coil, spark 1-8 inch.	4.00	
97-32	Ruhmkorff Coil, spark 1-4 inch	6.00	
97-34	Ruhmkorff Coil, spark 1-2 inch	12.00	
97-36	Ruhmkorff Coil, spark 1 inch	27.50	
97-40	Ruhmkorff Coil, spark 3 inch	60.00	
97-42	Ruhmkorff Coil, spark 4 inch	85.00	
97-44	Ruhmkorff Coil, spark 6 inch	100.00	
97-46	Ruhmkorff Coil, spark 8 inch	115.00	
	These coils are made for the alternating current of 104 volts,	-	
l l	and direct current of 110 volts, or for battery		
1	current. They are also modified for wireless te-		
	legraphy or X-Ray work. Full particulars will		
	be given on application. We manufacture and		
	test them under the supervision of our Electrical		
	Testing Department.		
97-60	Tesla High Frequency Coil, for direct current	180.00	
97-62	Similar for alternating current	1 50.00	1




ORDER




L. E. KNOTT APPARATUS Co., BOSTON, MASS.

Quantity vanted. Cat. No.	Description.	Price each.	Extension.
97-50	New Liquid Interrupter for use on either alternating or direct currents, from 73 to 200 volts. Giving uniformly satisfactory results from the commercial current. For operating induction coils. It may be used with coils that have previously had other current breakers. It has no platinum points to deteriorate and after once installed in the lecture room needs no further care from year to year. Duty Free Price	16.00	
97-98	inclusive and Apparatus No. 97-70. Tesla Induction Coil for demonstration of experiments as described in Tesla's lectures. To be used with Induction Coils No. 97-40, 97-46 inclusive, and		
1	Liquid Interrupter No. 97-50. Duty Free Price	55.00	
97-98b c	Apparatus for Illustrating Impedance. Duty Free Price Apparatus for Vacuum Tube, illustration in electrified fielding, including Tesla Lamp, Crookes' Tube and two other tubes without electrodes, and	6.00	
d	discs. Duty Free Price	16.00	
e	Apparatus for Illustrating Brush Discharge and Electric Nodes. Duty Free Price	9.00	
	Lamps. Duty Free Price	6.00	


All the above apparatus is on exhibition in our sample room.





110



























Quantity wanted. Cat. No.	Description.	Price each.	Exten- sion.
97-70	Apparatus for the Demonstration of Electro-Dynamic Repulsion and Rotation, to be operated with commercial current of 110 to 120 volts and used in connection with the Liquid Interrupter No. 97-50. Alternating current is preferred, but it operates favorably upon direct current. This apparatus is on exhibition in our sample room. Price of the outfit complete, as illustrated. Duty Free	55.00	

L. E. KNOTT APPARATUS Co., BOSTON, MASS











L. E. KNOTT APPARATUS Co., BOSTON, MASS.

Digitized by GOOGLE

ORDER







98-8 These illustrations show forcibly the value of the new Gilley Gramme Machine in teaching the many principles involved in the dynamo and motor.

(Patent applied for.)













L. E. KNOTT APPARATUR Co., BOSTON, MASS.












L. E. KNOTT APPARATUS Co., BOSTON, MAA,








L. E. KNOTT APPARATUS CO., BOSTON MASS


SHEET


SECTION 98, ELECTRICITY-MOTORS AND DYNAMOS.


Quantity wanted. Cat. No.	Description.	Price each.	Exten-
98-2	Magneto Electric Generator, alternating current, high	,	
	potential, low amperage	7.20	
98-3	Single Stroke Electric Bell, for above	2.50	i e
98-8	Gramme Ring and Motor, designed by F. M. Gilley, the	50	
	best working model of the electric dynamo and		
	motor, dissectible	12.00	
98-12	Page's Motor, permanent magnetic field	9.00	
98-14	Page's Motor, electro-magnetic field	9.00	!
98-16	Rotating Magnet Apparatus: A magnet rotating around an		
	electric current	4.50	
98-19	Ampere's Stand. This stand is of fine construction,	, , -	
	mounted upon mahogany base, with mercury		
	cups of boxwood, and aluminum figures. For		
}	demonstration of the elementary principles of		
	the motor and dynamo according to Ampere.		
	The mercury cups are of such construction that		
	induction by revolution or commutation may		
	be demonstrated. Duty Free Price	30.00	
98-20	Dynamo and Motor, working models pair, 4.00		
98-24	Dynamo and Motor, 5 volts, 2 amperes	6,00	
98-25	Similar, mounted, with hand power	10.00	1
	Motor, for operating Geissler Tube, Siren Disc, etc.,		
	mounted on a substantial stand and adjustable	المستعلق المستعلق	
4.4	for height and direction: (Refer to Section 11.)	•	
98-29a	For use with battery	12.00	
98-29b	Same, with speed indicator	16.00	
98-29c	For use with 110 volt direct current	13.00	
98-29d	Same, with speed indicator	17.00	
98-30	Hand Power Dynamo, 75 watts, best	35.00	
98-36	Hand Power Dynamo, dissectible, alternating or direct		
	current, 75 watts, best	40.00	
98-38	Model of a Bipolar Dynamo, made of wood, Edison type,		
	direct current	50.00	
98-40	Model of a Multipolar Dynamo, made of wood, 11 inches		
	high alternating current	50.00	














L. E. KNOTT APPARATUS Co., BOSTON, MASS

SHEET

Wireless Telegraphy has brought more prominently before the scientific world the character of Ether or Hertzian Waves.

The daily press often speaks of difference in wave lengths. The apparatus which follows is made to illustrate some of the peculiarities of these waves.

A spark at the oscillator of this apparatus induces waves which may be interrupted by the cross grating, and are not interrupted by a grating in the same plane as the waves.

The effect is produced on a coherer through which a battery current passes, in connection with an electric bell. The operation is stopped by tapping it with a lead pencil or some similar device.

Reflection can also be illustrated by placing the instruments at right angles, with a metallic reflector at the apex of the angle. The advantage of the cylindrical parabollic reflectors over the circular parabollic ones is in the form of the waves induced.

ity d. Cat. No.	Description.	Price each.	Exte
99-48	Hertz Wave Apparatus. Complete set without induction		
ł	coil and batteries. Duty Free Price	40.00	1
99-49	Similar parts to 99-48. Duty Free Price	36.00	l
	Wireless Telegraphy.	•	}
ŀ	The demand for demonstration outfits of wire-		
	less telegraphy has called for something more		
	1		
	1		
	•		!
	•		
99-64a			
ь		4.50	
c			
d	1		
e	1 7 7		
1			
_	, ,	14.00	
9		14.00	1
8		40.00	
	99-49 99-64a b	Description.	Hertz Wave Apparatus. Complete set without induction coil and batteries. Duty Free Price. 40.00

WIRELESS TELEGRAPH

Complete Working Instruments.

Many systems of wireless telegraphy have been devised, but all depend on two very simple principles. The first, which we owe to James Clerk Maxwell and Rudolph Hertz, is that wave motions are set up in the ether by an electric spark. The second, discovered by Branley, is that when such waves in the ether strike upon a collection of metal filings, (the **coherer**), the latter **cohere** and form a chain of particles capable of conducting a current of electricity.





Fig.1

All sending stations are therefore merely devices for starting out waves in the ether by means of an electric spark; and all receiving stations are devices for using the energy of these waves to ring a bell or to operate a Morse sounder.

WIRELESS TELEGRAPH



Directions for Setting Up.

Adjust the knobs, D, D, of the sending station so that the air space between them is about the same as the thickness of a calling card. On pressing the sending key A for an instant, a small torrent of sparks should be visible between the knobs. These sparks are necessary for the production of the ether waves.


Slip the four antennæ (L, L) in place as shown in Fig. I.


Close the switch S of the receiving station and test the receiving instrument by laying a wire for an instant across the terminals of the coherer F; this should shunt the local current from E around the coherer and ring the bell G. Remove the short-circuiting wire, but leave the switch S closed.

Place the two stations near to each other as shown in Fig. I, and press the sending key A. The bell G will respond. The distance between the two stations may now be increased up to two meters, but beyond this distance the instruments are not designed to work.


If the bell G does not ring when the sending key is pressed, it may be necessary to shake the coherer F by moving the knob K by hand. When the instruments are not in use, the switch S should be left **open** to prevent any accidental short-circuiting of the cell E. If the instruments do not work when near together, fresh dry cells should be substituted in each station. The tension of the spring which holds the armature of the electromagnet M should be very slight.

99-62 10.20





Quantity wanted. Cat. No.	Description.	Price each.	Extension.
99-116	Model of Arc Light: Model of Arc Light to be operated on 110 volt direct current, 104 volt alternating current, with adjustable resistance. This arc is an automatic arc of such construction that it may be dissected and the principles of construction illustrated. It uses three amperes and gives 180 candle power.		
	Type A: For alternating current with resistance and socket. Duty Free	13.50	
99-117	Model of Nernst Lamp: Model of Nernst Lamp; mounted on base board with resistance and automatic armature, all in line on the board so that the operation may be seen. Illustration of this will be sent on request. Duty Free Price	12.00	
99-118	Electric Furnace: Electric Furnace for use with 10 amperes. This may be used for illustration of the uses of this furnace in making carbide aluminum, etc. Duty Free Price	26.00	• • •



L. E. KNOTT APPARATUS Co., BOSTON, MASS.




SHEET

SECTION 99, ELECTRICITY, -APPLIED.

Quantity wanted.	Cat.No.	Description.	Price each.	Exter sion.
	99-2	Push Button, wood base	.20	
	99-6	Electric Bell, 2½ inch	.40	
	99-8	Electric Gong, 4 inch	1.00	
	99-10	Single Stroke Electric Bell	6.00	
	99-14	Telegraph Key, on wooden base	2.00	
	99-16	Telegraph Sounder, on wooden base	3.00	
	99-20	Complete Set of Sounder and Key, in parts, to be assembled by the	•	
		students	2.00	}
	99-22	Telegraph Sounder and Key, mounted on single base	3.80	
	99-26	Telegraph Relay, low resistance	3.50	
	99-28	Telegraph Relay, adjusted resistance for wireless teleg-	•	
1		raphy	6.10	
	99-40	Single Spark Oscillator, according to Hertz	3.50	
1	99-46	Resonator, with wooden clamp	2.00	
1	99-60	Wireless Telegraphy Instruments, coherer and decoherer	6.00	1
	,,	Discharge Balls, brass, for wireless telegraphy demonstra-		
1		tion and for use with induction coils:		
	99-66a	For Coils, of 1/4 to 1/2 inch sparkpair, .50		
	99-66b	For Coils, of 1 to 3 inches sparkpair, .75		
İ	99-66c	For Coils, of 3 to 8 inches sparkpair, 3.50		
	99-78	Microphone, Blake or Carbon Transmitter, with induction		
	,,,	coil	4.25	
	99-84	Watch Case Telephone Receiver	1.20	
	99-86	Commercial Telephone Receiver	2.00	
	99-88	Dissectible Telephone Receiver	2.00	
	99-94	Dissected Telephone Parts, to be assembled by the pupils	2.00	
ļ	99-98	Battery Call Telephone	3.50	
ì	99-100	Incandescent Lamp, one candle power	1.10	
	00-102	Incandescent Lamp, three candle power	1.10	
	99-104		1.10	
	99-110	Incandescent Lamp System, with lamps, most complete out-		1
1		fit	0.00	
	99-114	Model Automatic Arc Lamp	4.50	1
7		Projection Lanterns, refer to 73-150, etc.		1


WE CALL SPECIAL ATTENTION TO OUR LABORATORY TABLES.

A list of them will be sent when requested.



L. E. KNOTT APPARATUS Co., BOSTON, MASS.

Quanti wanted	ty l. Cat. No.	Description.	Price each.	Extension.
	101-2	Barometer, Standard, Fortin pattern, very large bore, scale in inches, reading to .002, mahogany back board, with white porcelain plates. The best and most		
	101-4	accurate barometer. Duty free price Barometer, Fortin Weather Bureau pattern, bore 3-10 inches, millimeter and inch scale, with vernier,	90.00	
	101-6	duty free price	38.00	
	101-10	and proper suspension	6.00	
	101-20	Barometer, Recording type (Barograph), accurate Aneroid construction, with reliable clock works, eight day	7.50	
	101-22	works, special duty free price	30.00	
:	101-30	Barometer, Aneroid, specially designed for accurate measurements by the militia, surveyors or explorers, diameter five inches, altitude scale 10,000 feet, vernier reading with rack and pinion, direct reading to feet, thermometer attached, aluminum case, enclosed in a leather bag with sling strap, accur-	23.00	·
•	101-32	ately compensated	84.00	
•	101-34	Barometer, Aneroid, pocket size, one and three-quarters inches diameter, for mountain climbing, sometimes called an Altitude Meter, range 10,000 feet	4.80 9.00	
	101-36	Note:—Adjusted to other ranges to order. Barometer, Demonstration pattern, showing the works under a glass bell, connected with a tube for dem-		
	102-2	onstration, special duty free price	11.00	
	102-4	duty free price	30.00	
	102-10	Thermometers, Standard, of extreme precision, United States Weather Bureau pattern, maximum and	23.00	
	102-20	minimum, self registering Thermometer, Maximum and Minimum, on antique oak, very satisfactory, secondary school instrument	11.00	
	102-22	Thermometer, Maximum and Minimum, Sixe's type, mounted on boxwood	3.00	
,	102-24	Thermometer, Maximum and Minimum, of inexpensive construction	1.50	•



109-2

L. E. KNOTT APPARATUS Co., BOSTON, MASS. Digitized by Google

EQUIPMENT			
Quantity wanted. Cat. No.	· Description.	Price each.	Extension.
102-30	Thermometer, quick reading, weather thermometer espe-		
	cially for school rooms, air range	1.50	
102-32	Thermometer, tin case, weather thermometer, seven inches	50	
102.32	long	25	
	Thermometer, for chemical use, refer to Order List of	.25	
!			
	Physics Laboratory Equipment.		
103-2	Wind Gauge, or Anemometer, portable, six dials to 10,000,-		
	ooo feet	22.50	
103-10	Wind Gauge, or Anemometer, Robinson pattern, with four		
	well supported cups, dial with zero set, special		
	duty free price	38.00	
104-2	Hygrometer, Recording, similar in construction to the		
	barograph, with eight day clock movement, in		
	a case	40.00	
104-4	Hygrometer, United States Weather Bureau type, ac-		
	curate thermometers, pair on base with printed		
	table	8.00	
104-48	Extra Printed Tables	.25	
104-10	Hygrometer, or Psychrometer, sling pattern, scale o to 100	3	
104 10	degrees Fahrenheit in single degrees, with table		
	and directions for reading the relative humidity,	ļ	
Ì	quick and accurate results		
	•	9.00	
104-20	Hygrometer, or Wet and Dry Bulb Thermometer, very sat-	ł	
	isfactory, secondary school instrument	3.00	
104-30	Hygrometer, quick reading and mechanical. This instru-	i	
	ment fills a place where one desires to measure		
	the rapid relative changes in humidity	2.00	
105-2	Rain Gauge, Recording and Indicating, similar in con-		,
	struction to the barograph, with five-inch funnel,		
	eight day clock movement, special duty free	ļ	
	price	30.00	
105-10	Rain Gauge, usual type, metal container, collecting can and	-	
	funnel with measuring stick	2.75	
109-2	Current Meter, for measuring the current flow of rivers,	- 73	
, -	reading in feet, furlongs and miles per hour, with		
	explicit directions	55.00	
1 1	CAPACITUM COMPANY	33.00	

WE SOLICIT CORRESPONDENCE WITH PROSPECTIVE CUSTOMERS.

EXCELLENT MAIL AND FREIGHT ACCOMMODATIONS MAKE US NEAR NEIGHBORS.

Aspirator.

Blast Lamp.

Barometer.

Bellows and Discs.

Blowpipes.

Brushes: Bottle,

Test Tube.

Tube.

Burners.

Cork Borers.

Clamps: Burette,

Condenser.

Test Tube.

Glass Cutters.

Horn Spatulas,

Pinchcocks.

Test Tube Racks and Holders,

Ring Stands,

Wire Gauze.

Extraction Apparatus.

Burettes.

Condensers.

Cvlinders: Graduated,

Plain,

Eudiometers.

Gas Measuring Tube,

Pipettes,

Thistle Tubes.

Test Tubes.

Graduates.

Lip, Beakers:

Plain,

Copper,

Agate,

Bottles: Drop.

Glass Stoppered,

Open.

Woulff,

Aspirator,

Labeled.

Dessicators.

Flasks.

Funnels.

Gas Generators.

Glass Tubing.

Retorts.

Casseroles.

Crucibles.

Dishes.

Mortars.

Air Test Sets

Asbestos.

Gas Bag.

Blue Glass.

Charcoal Blocks.

Chemicals.

Corks.

Waste Jars,

Labels.

Platinum.

Distilling Apparatus,

Air Baths.

Sand Baths.

Water Baths.

Pneumatic Troughs,

Antimony Rubber Stoppers,

Antimony Rubber Tubing.

Tromp,

Physical Laboratory Tables,

Chemical Laboratory Tables,

New Gas Cocks.

New Water Faucets.

Dissecting Microscopes.

Scissors,

Forceps.

Needles.

Microscopic Slides,


Microscopic Covers.


Compound Microscopes,

Catalogs.

The above items are not included in this order sheet.

Information will be cheerfully given.





73-400

SHEET

"EDUCATION BY THE PICTURE PROCESS"

THE MILLER COLLECTION OF LANTERN SLIDES IN PHYSICS

From the negatives of Fred R. Miller, Instructor in
Physics in the Boston English High School.
Price each\$.40
Any 50 will be furnished in a regular Lantern Slide Box
for\$20.00
The whole collection of 294 Slides will be put up in boxes
holding 50 each, for\$115.00
Send for circular No. 317.

THE COURTIS SERIES OF COLORED PHOTOGRAPHS

Especially suited for use in Opaque Projection. Arranged by S. A. Courtis, Home and Day School. Send for circular No. 317b.

ORDER LIST OF EQUIPMENT FOR THE BIOLOGICAL LABORATORY

Containing the latest types of apparatus and a large line of charts for botany and biology.

Send for circular No. 379.

NATIONAL PHYSICS NOTE-BOOK

For laboratory work in Secondary Schools. Written by George M. Turner and C. Brooks Hersey, Masten Park High School, Buffalo, N. Y. Send for advance sheets.

NATIONAL CHEMISTRY NOTE-BOOK

Comprising directions for Laboratory Experiments and exercises. By Arthur Stone Dewing, Ph.D., Assistant in Philosophy, Harvard University, Instructor in Psychology, Simmons College, and sometime, Teacher of Science, The Stone School, Boston.


Send for advance sheets.

SOME NEW APPARATUS FOR TEACHING PHYSICAL GEOGRAPHY

As advocated by the New York Syllabus. Send for circular No. 369.

LABORATORY TABLES FOR PHYSICS, CHEMISTRY AND BIOLOGY

Carried in stock ready for shipment. Send for special information.



INDEX

... OF ...

Physics Laboratory Equipment

A.

Acetylene generator-77 Action and reaction apparatus-19-27 Adhesion discs—21 Air thermometer-53 Aluminum rod for expansion apparatus-53 Aluminum shot—55 Aluminum for Skidmore Outfit-91 Amalgam for electric machine—85 Ammeters—101-103 Aneroid barometers—129 Apparatus for critical angle of water—61 Apparatus for action and reaction—27 Apparatus for elementary battery—91 Apparatus for convection—59 Apparatus for demonstration of electro-dynamic repulsion and rotation—111, Apparatus for electrolysis—97 Apparatus for linear expansion—53 Apparatus for composition of forces—19 Apparatus for falling bodies—Ames & Bliss—27 Apparatus for Foucault currents—81 Apparatus for friction—21 Apparatus for freezing—59 Apparatus for piercing glass with electric spark—83 Apparatus for heat experiments—55 Apparatus for specific heat—Tyndall—55 Apparatus for illustrating action of parallel conductors-97 Apparatus illustrating Brush discharge—109 Apparatus illustrating impedance—109 Apparatus illustrating induction—109 Apparatus for illustrating maximum density of Apparatus demonstrating pressure of gases in

all directions-37

Apparatus for illustrating pressure of liquids-Apparatus for illustrating mechanical powers Apparatus illustrating vacuum tubes-109 Apparatus for manometric flame-49 Apparatus for multiple image—61 Apparatus for laws of bending-21 Apparatus for Boyle's law-39 Apparatus for illustrating laws of lever—23 Apparatus for second law of motion-27 Apparatus for laws of torsion—21 Apparatus for experiments with lenses—63 Apparatus for liquefaction of gases, Cooke-55 Apparatus for rotating magnet-119 Apparatus for Oersted's law-97 Apparatus for projection-77 Apparatus for index of refraction of water-61 Apparatus for reflection, Gage-61 Apparatus, seven-in-one, Gage-39 Apparatus, eight-in-one, Gage-35 Apparatus for specific gravity—33 Apparatus for Hertz waves—121 Apparatus for wireless telegraphy—121-123 Apparatus for recording vibrations of tuning fork—43 Apparatus for longitudinal vibration, Kundt's Apparatus for testing the breaking strength of wire-21-25 Arc lamp, model of-125-127 Archimedes cylinder and bucket-33 Art of projection, Dolbear-77 Aspirators—39 Attachment, microscopic for lanterns-73 Atwood's machine—27

B.

Bag for breaking ice-51 Bag, rubber-39 Balances-9-11-12 Balance cradles-9 Balls, collision—23 Balls, ivory-27 Balls, mounted for illustrating centrifugal force—19 Balls for pendulum-29 Balls, pith—81 Balls, set suspended from a frame—23 Bar, compound—53 Bar, nickel for magnetism-79 Bar, soft Norway iron for magnetism-79 Barographs-129 Barometers, all kinds-43-129 Barometer tubes—39-87 Baroscope bottles, globes—37-39 Basin for critical angle apparatus—61 Batteries, all standard types-91-93 Batteries, Leyden jar-83 Batteries, water—91 Batteries, storage—93 Battery, elementary—91 Battery jars—89 Battery stand, Skidmore—91 Bell, chimes for static electricity—83 Bells, electric—119-127 Bell, electric, mounted, for use in vacuum-45 Bell glasses—41-45 Bell, cork balls, illustrating nodes—47 Bell, Savart's-49 Bell, single stroke—119 Bellows, hydrostatic—29 Bending, apparatus for laws of—21 Binding posts—89 Biot's dissectible globe—81 Block for critical angle of water-61 Blocks for illustrating cube roots—15 Block for illustrating metric system—5 Block for suspending pendulum-27 Block, white face for light experiments—63 Block, wooden, for friction apparatus-21 Blocks, rider to fit meter stick-23 Blocks, waterproof-33 Blocks, loaded to sink, waterproof-33 Blue glass, Cobalt-77 Brass chain for electric connections—85 Board for center of gravity-27 Board for composition of forces-19 Board for friction apparatus—21

Bottle, baroscope—39 Bottle, Mariotte's-35 Bottle, prisms-77 Bottles, specific gravity-33 Bows-45 Boxes, resistance—95-105 Boyle's law apparatus—39 Boyle's law tube-39 Brachystochrone-27 Breaking strength of wire apparatus-21-25 Bridge, Wheatstone-105 Brush discharge apparatus—109 Bulbs, Dewar—87 Bunsen cell-93 Bunsen photometers-61 Bursting squares—39 Buttons, push—127

C.

Calipers, combined inside and outside—5 Calipers, micrometer—5 Calipers, Vernier-7 Calorimeters-55 Calorimeter, electric-95 Camera, pin hole-73 Can and bucket, overflow-33 Candles-61 Capillary plates-35 Capillary tubes-35 Cars for inclined plane-27 Carbide for lanterns—73 Carbons for arc lamps—73 Carbon for Skidmore outfit-91 Cartesian diver-35 Cascade, Gassiot's—85 Case, liter, for illustrating the metric system—5 Catskins-81 Cells, all kinds-91-93 Cells, Clark standard-91 Center of gravity board—27 Centrifugal force apparatus for illustrating-19 Chain, brass, for electric connections—85 Chambers, condensing, for use with condensing pump-41 Charles' law tube-53 Charts illustrating chemical change—91 Charts illustrating the metric system—5 Chart, spectrum-79 Chest, wind for organ pipes—49

Chime of bells-83 Chladni plates-51 Circle in degrees-15 Clamps-49 Clamps for holding the elements in elementary battery-or Clamp for Chladni plates-51 Clamps to fit meter stick—23 Clamps, Stone's tension-19 Clark standard cell-91 Clocks-13-15 Cohesion frames—21 Cohesion hemispheres—21 Coils, primary and secondary-107 Coils, resistance—105 Coils, Ruhinkorff—107 Coils, standard—105 Coils, Tesla, high frequency—107-109 Color discs, Newton-19-77 Color mixer, Van Nardroff-73 Commutators—105 Compasses-81 Compound bar-53 Compass, universal pencil—15 Composition of force apparatus-19 Composition of force board—19 Condensing chamber-41 Condensers, electric—83 Cone, dissected, showing sections-15 Cone and track, double-27 Conductivity rods-50 Conductometers-50 Conductors, different forms for static electricity-81 Connectors, electric, see binding posts-80 Contracting helix-07 Convection apparatus—59 Cooke's apparatus for liquefaction of gases-55 Copper shot—55 Cord, flexible, for battery connections-89 Cord, flexible, for lamp connections-73 Cord for illustrating wave motion, silk, rubber Coulomb's proof plane-81 Coupling for attaching tubing to air pump—41 Cradle for spring balance—9 Critical angle apparatus-61 Crooke's X-ray tubes—87 Crooke's tube, adjustable vacuum-85 Crooke's radiometers—59 Cross-section paper—15 Crova disc--19 Cryophorus-59

Crystals, models of—15
Cubes illustrating density and specific gravity—
31
Cubes, Leslie's—59
Cup, porous, for Skidmore outfit—91
Cup, Tantalus—33
Cup, wooden, for illustrating porosity—21
Current meters—131
Cylinder and bucket, Archimedes—33
Cylinders, loaded eccentrically—27
Cylinder, loaded, waterproof—33

D.

Daniell's cell-or Davy's safety lamp-59 Diffraction grating-77 Density cubes—31 Dewar bulbs-87 Diagonal scale—5 Diaphragm for use with Crova disc-19 Diaphragm for use with Port Lumiere-77 Dipping needles-81-05 Discs, Crova-10 Discs, adhesion-21 Discs, color, according to Newton-19-77 Discs, siren-19 Discharge balls for wireless telegraphy apparatus-127 Diver, cartesian-35 Dividers, brass—15 Double cone and track-27 Drawing instruments-19 Drawing pens-19 Dynamos—119

E.

Earth inductor—81
Ear trumpet—45
Edison cells—93
Eight-in-one apparatus, according to Gage—35
Elements for batteries—91-93
Elements for Skidmore battery outfit—91
Electric bells—119-127
Electric furnace—125
Electric globe—85
Electric machine—87

Electric whirl-81 Electric machines, static-85 Electrodes of electrolysis apparatus-97 Electrodes and handles for electric machine-85 Electrolysis apparatus-97 Electro - dynamic repulsion - rotation apparatus-111 Electro magnets-07 Electrometers—83 Electrophorus—81 Electroscopes—83 Engine, hot air, gas-57-59 Engine, steam, model of-57-59 Expansion apparatus, linear-53 Equilibrium tubes—33 Eve. model of-73

F.

Falling body machine, Packard's-25 Faraday's ring-107 Fire syringe-55 Flame, manometric apparatus-49 Float, wooden, waterproof-33 Floating helix and cell-97 Fluoroscopes-87 Forms, geometric, wooden-15 Foucault current apparatus-81 Fountain, Hero's-35 Fountain in vacuum-39 Frame for law of shadows-65 Frames, wire, for cohesion films-21 Freezing apparatus-59 Friction apparatus according to Tyndall-19 Friction apparatus—21 Funnel, mercury storage-37 Furnace, electric-125

G.

Galton's whistle—49
Galvanometers—97-101-103
Gas engine—57
Gassiot's cascade—85
Gauge, mercury—45
Gauge, pressure, for use with Apparatus A—55
Gauges, pressure, for liquids—29
Gauge, pressure, mercury—55
Gauges, rain, wind—131

Gauge, taper-7 Gauge, wire-9 Geissler globes-85 Geissler tubes—85 Generators, magnets—119 Geometric forms, wooden-15 Geissler tube rotator-85 Generator, acetylene-77 Gilley Gramme ring and motor-119 Glass plates for electric machines—85. Glasses, bell-41-45 Glass, Cobalt-77 Glass plates, colored-79 Glass for polarized light-79 Glass rods for frictional electricity—81 Glasses, pulse or palm-55 Glass trap for catching condensed steam-55 Globe, with liquid, for illustrating centrifugal force-10 Glass piercing apparatus-83 Globe, baroscope—37-39 Globe, electric—85 Globes, Biot's dissectible—81 Globes, Geissler-85 Gramme ring and motor, Gilley-119 Grating, diffraction-77 Gravesend ring and ball-53 Gravity battery-91 Grenet cell-93 Guard for bursting squares—39 Guinea and feather tube-27 Gyroscopes—19

H.

Hall's inclined plane-27 Hammer for tuning fork-43 Hammers, water-39 Hand balance—o Hand power dynamos and motors—119 Harness for applying parallel forces-27 Helix, contracting-97 Helix, floating-97 Helmholtz resonators-49 Hemispheres, lead for cohesion-21 Hero's fountain-35 Hertz wave apparatus-121 Holder for Crooke's tube-87 Holders, lens-63-73 Holders, pin-63 Holders, screen-63



Holders, slide—73
Hook gage according to Pickering—5
Hoffman's electrolysis apparatus—97
Hydraulics—29-33-35
Hydraulic press—29
Hydraulic press, model, glass—35
Hydrogen pistol—39
Hydrometers, glass—33
Hydrometers, Nicholson's—35
Hydrometers, wooden—35
Hydrometer jars—35
Hydrometer jars—35
Hydrometers—131

I.

Ice bag—51 Ice tray-51 Iceland spar prisms-79 Images, pith—83 Impedance apparatus—109 Inclined planes, Hall-27 Index of refraction apparatus-61 Indicator for bending experiment—21 Indicator, speed-19 Induction cylinders—81 Inductor, earth—81 Inertia, apparatus for-23 Iron for Skidmore outfit-91 Iron bars, soft, for magnetism-79 Iron filings-79 Iron rod for expansion apparatus-53 Instruments for graduated circles according to Stewart & Gee-15 Instruments for drawing-19 Instruments, mathematical- 15 Instruments, telegraph—127 Interference tubes—49

J.

Jars, battery—89 Jars, Leyden—83 Jars for hydrometers—35 Jars for index of refraction apparatus—61 Jet, Rose—47

K.

Kaleidoscopes—61 Kerosene lamp—61 Keys, contact—105
Keys, telegraph—127
Kundt's apparatus for longitudinal vibration—
45

L.

Lamp, arc, model of-125 Lamp, arc-73 Lamp, incandescent-127 Lamp, kerosene-61 Lamp, miner's safety, Davy-59 Lamp, philosopher's-47 Lamp, resistance-105 Lanterns, projection-67-68-73-77. Send for 'circular. Lantern slides-67 Law of shadows frame-65 Lead for Skidmore outfit-01 Lead shot-55 LeClanche cells-91 · Lenses-63 Lens, sound-45 Leslie's cubes—59 Level, carpenter's-15-17 Levers-23 Leyden jars-83 Linear expansion apparatus—53 Liquefaction of gases apparatus, Cooke-55 Liquid interrupter-109 Liquid measures-9 Lissajou's figures apparatus-51 Lodestones-79 Longitudinal vibration apparatus, Kundt's-45 Lycopodium powder-45

M.

Machine, Atwood's—27
Machine, Toepler-Holtz-Wimshurst—85
Magdeburg Hemispheres—45
Magnets, all kinds—79
Magnets, electro—97
Magnetic needles—81
Magnetometers—81
Magnetoscopes—81
Make and break attachment for induction coil
—107
Maltese cross tube—85

Manometers—43-45

Manometric flame apparatus—19-49 Manometric organ pipes-49 Mariote's bottle-35 Mariote's law tube-39 Mathematical instruments-15 Measurement, general items-5 Measurement of angles-15. See also mathematical instruments. Measurement of extension, length, area, volume, capacity-5 Measures, liquid-9 Measurement of time-13-15 Mechanics, apparatus for-23 Mechanical powers outfit-23 Mercury gauge-45 Mercury storage funnel-37 Mercury well-39 Meters, current-131 Meter sticks-5-7 Metric system illustrated with blocks, charts, etc.--5 Metronome—15 Mica films for polarized light-79 Micrometer screw—5 Micrometer screw on stand for bending experiment-5 Microphones—127 Microscopic attachments for lantern-73 Miner's safety lamp, Davy—59 Mirrors, cylindrical plane, spherical—61 Mixer, color, Van Nardroff-73 Model of arc lamp-125-127 Model of clock balance wheel—53 Models of crystals-15 Models of dynamos and motors—119 Models of eye—73 Model of hydraulic press—35 Model of hydraulic ram, glass—35 Model of Nernst lamp—125 Models of pumps, glass—35 Model of screw-23 Model of steam engine, Wollaston-57-59 Model of telescope and opera glass—65 Model of telescope—68 Model of wedge-23 Model of water wheels-35 Model of vernier, wood—5-7 Momentum, apparatus for-23 Moments of force apparatus according to Hortver-19 Motors-119 Motors, Page's—119 Mold, regulation—51

N.

National trip Scale—11 Needles, dipping—81-95 Needles, magnetic—81 Nernst lamp model—125 Newton's color discs—19-17 Newton's rings—79 Nichol's prisms—79 Nicholson's hydrometer—35

0.

Oersted's law apparatus—97 Oil for pumps—41 Opaque projector—67 Optical set—63-65 Objectives for lantern—77 Organ pipes—49 Oscillator, single spark—121 Overflow can and bucket—33

P.

Pad, silk-81 Packard's falling body machine-25 Page's motor-119 Pair, thermo-electric-97 Palm, glasses-55 Pans for weights in bending experiment-21 Pans, scale for use in experiment with levers-23 Paper, cross-section-15 Paraffine candles—61 Parallel conductor apparatus-97 Pascal's, vases—29-31 Pencil drawing-19 Pencil compass—15 Pendulum balls—29 Pendulum compound—53 Pendulum, reversible—27 Pendulum, sand—51 Pendulum, seconds—15 Pendulum support—27 Pendulum suspension block—27 Pendulum, torsion-21 Philosopher's lamp—47 Phosphorescent tube-85 Photometers, Bunsen, Rumford-61 Piano wire—45 Pine rods-21 Pith Balls-81

Pipes, organ-49 Pipe for operating siren disc-19 Pith images-83 Pistol, hydrogen-39 Plane, Coulomb's proof-81 Plane, inclined-25-27 Plates, capillary-35 Plates, chladni-51 Plates, Cobalt glass-77 Plates, set colored glass-79 Plates, for electroscopes, condensing-83 Plates, glass for electric machines—85 Plates for pith images—83 Plate for air pump-41 Plate, refraction-61 Plucker's spectrum tubes—85 Plug for air pump, to protect valves-41 Plug and socket for arc lamp circuits-73 Plunge battery-93 Polariscopes-79 Pole changers—105 Polyprism—65 Porosity illustrated with wooden cup-21 Port Lumiere-67-77 Porous cup for Skidmore outfit-91 Powder, Lycopodium-45 Press, hydraulic, glass model—35 Press, hydraulic-29 Pressure of liquids, apparatus for illustrating Pressure gauge for use with apparatus-55 Pressure gauges for liquids-29 Pressure gauge, mercury-55 Prince Rupert drops—21 Primary and secondary coil—107 Prisms, achromatic—79 Prisms, glass-61-77 Prisms, Iceland spar-79 Prisms, Nichol-79 Prisms for supporting rod in bending experiment-21 Projector, art of Dolbear-77 Projection outfit—67-73-77 Projection tank for lantern—73 Proof plane, Coulomb's—81 Protractors-15 Pulleys-23 Pulse glasses—55 Pumps, air—41 Pump, air, for use with mercury—39-87 Pumps, glass models—35 Pumps, aspirator—39 Push buttons-127 Pyrometers, lecture table—53

Q.

Quincke's tubes-49

R.

Radio-electroscopes, Wilson's-83 Radiometers, Crook's-59 Ram, hydraulic, glass model—35 Reaction tube-35 Receivers, telephone-127 Reflectors—50 Reflection apparatus—61 Refraction, apparatus for index of-61 Refraction plate-61 Regulation mold-51 Resin for bows-45 Resonators, Helmholtz—49 Resinous rods for frictional electricity—81 Resistance boxes—95-105 Resistance coils-105 Resistance lamp-105 Resonant tubes-47 Rheostat-73 Ring and ball, Gravesend-53 Rings, Newton's-79 Rings, elastic for illustrating centrifugal force Ring, Faraday's-107 Riders, see weights-11 Rocker, Trevelyan—55 Rods of copper, iron and glass for conductivity Rods for expansion apparatus—53 Rods, glass, rubber, resinous, for frictional electricity-81 Rules—5-17 Rods, pine-21 Rods of wood and brass—59 Rose jet-47 Rotator, or whirling table-19 Rotating magnet apparatus—119 Rotator for Geissler tubes—85 Rubber bags-39 Rubber cord for illustrating wave motion-45 Rubber rods for frictional electricity—81 Rubber sheet—45 Rubber, special for inertia experiments—27 Rubber tubing—39. See Order List of Chemical Laboratory Equipment. Ruhmkorff coils—107 Rule, for measuring—5 Rumford photometers—61



Standard candles-61

S.

Savart's wheel-19-47 Savart's bell-49 Safety lamps, miner's, Davy-59 Safety valve weights-15 Sand pendulum—51 Scales for weighting, see balances—9-11 Scale, diagonal, for plotting-5 Screen, electric-81 Screens for lantern-77 Screen for light experiments-63 Screens for magnetic transparency-79 Sextant-65 Silk pads—81 Seconds pendulum-15 Set, optical-63 Seven-in-one apparatus, Gage—39 Shot, aluminum, copper, lead-55 Shot and wax for conductometers-59 Shunt, universal—101 Silk cord for illustrating wave motion-45 Singing flame-47 Sinker-33 Siphon—33 Siren disc-19 Skidmore battery stand—91 Slides, lantern-67 Slide rule-17 Sonometers—49 Sound lens-45 Spar, Iceland prisms-79 Speed indicator—19 Specific gravity apparatus—33 Specific gravity bottles—33 Specific gravity cubes—31 Specific heat apparatus, Tyndall—55 Spectrum tubes, Plucker's—85 Spectrum chart—79 Spheres, induction and distribution—81 Spherometers—9 Spiral tubes for electric discharge-85 Spring balances—9 Spring for illustrating waves—45 Smith school square—15 Squares, bursting—39 Square and protractor combined—15 Stand, battery, Skidmore—91 Stand, Columbia College special—101 Stand and frames for supporting balls in apparatus for illustrating Nodes-47 Stands, for reflectors-59 Stands, wooden, for seven-in-one apparatus-39 Standard barometers-43-129

Standard cell, Clark-91 Standard coils—105 Standard thermometers—129 Steam engine, model of, Wollaston-57-59 Sticks, meter, for measurements—5 Stool, insulated—83 Storage battery-93 Straight edge—5 Stewart & Gee instruments for graduating circle—15 Sulphur for specific gravity—33 Support for hand balance—9 Support for Boyle's law tube—39 Support for meter stick-63 Support for pendulum-27 Support for wooden float—33 Support, Ritchie, universal—23 Suspension block for pendulum—27 Switches-73-105 Syringe, fire-55 System of incandescent lamps-127

T.

Tables for laboratories, send for information Tables for lantern-77 Table, whirling-19 Tank, projection for lantern-73 Tangent scale-15 Tantalus cup—33 Taper guages—7 Telegraph instruments—127 Telephones-127 Telescopes—68-73 Temperature resistance coils—105 Terminals for electric cord—89 Tesla high frequency coil—107-109 Texas resistance box--105 Thermo-electric pair, multipliers-97 Thermographs—129 Thermometers—51-53 Thermometer, air—53 Thermometer, chemical—51 Thermometers, metallic-53 Thermometers, maximum and minimum—129 Thermometers, recording-129 Thermometer, special for electric calorimeter— Thermometers, weather-131 Thermopile-95 Toepler-Holtz machine-85



Tongs, Tourmaline-79 Torsion apparatus-21 Torsion pendulum—21 Tourmaline tongs—79 Trap for catching condensed steam-55 Tray for ice-51 Trevelyan rocker—55 Trumpet, ear-45 Tubes, barometer—39-87 Tubes, Boyle's or Mariott's law-39 Tubes, adjustable vacuum—85 Tubes, capillary—35 Tubes for Charles' law-53 Tubes, Crooke's X-Ray—87 Tubes, equilibrium—33 Tubes, focus for high frequency Tesla coils-87 Tubes, Geissler—85 Tubes, Guinea and feather—27 Tubes, interference--49 Tubes, maltese cross—85 Tube for philosopher's lamp-47 Tubes, spectrum, Plucker's—85 Tubes, Quincke's-49 Tube, reaction—35 Tubes, resonant-47 Tubing, rubber—39. See Order List of Chemical Laboratory Equipment. Tubes, spiral for electric discharge—85 Tube, Tyndall's—47 Tubes, U, according to Gage—35 Tubes, vacuum—85 Tuning forks, all kinds-43-47 Tuning fork apparatus-43-47 Tyndall's specific heat apparatus-55 Tyndall's heat by friction apparatus—19 Tyndall's attachment for production of heat by friction-55 Tyndall's tube-47

U.

U tube according to A. P. Gage-35

Vacuum tubes—85

٧.

Vacuum tube apparatus—107
Vases, Pascal's—29-31
Vernier, model of, wood—5-7
Vises—27
Vision, persistency of illustrated—19
Volt-ammeter, copper—97
Volt meters—101-103
Volta's condensing plates—83
Von Nardroff color mixers—73

w.

Washers, leather—41 Watches, stop-15 Wave motion apparatus, Lyman's, Powell's, Snell's, Young's,-19 Water battery-91 Water, apparatus for maximum density of-53 Water hammers-39 Water wheels, models-35 Wax and shot for conductometers—59 Weights-11-15-17 Weights, iron—15 Weight with ring for sinker—33 Weights for safety valves—15 Well for mercury—39 Wheatstone bridge—105 Wheel and axle—23 Wheel, balance, model of—53 Wheel, Savart's—19-47 Wheels, water models of,-35 Whirl, electric—81 Whirling table—19 Whistle, Galton's—49 Wilson's radio electroscope—83 Wind chest for operating organ pipes—49 Wind gauges—131 Wire, brass—87 Wire, copper—87 Wire, German silver—89 Wire, iron—87 Wire gauge—9 Wire, piano—45 Wire testing apparatus—21-25 Wireless telegraphy instruments—121-123

X.

X-Ray tubes—87 Xylophone—49

Y.

Y tube outfit—33


 \boldsymbol{z} .

Zincs for batteries-91-93

LABORATORY TABLES


FOR

PHYSICS, CHEMISTRY AND BIOLOGY



Front Elevation.

End Elevation



Side Elevation

SEND FOR CIRCULAR.

L. E. KNOTT APPARATUS COMPANY,

15-17 HARCOURT STREET, BOSTON, MASS.

RUSH ORDER DEPARTMENT.

E. KNOTT APPARATUS CO.,

15-17 Harcourt Street,

BOSTON, MASS.